KNOTS, SPLICES AND ROPE-WORK

A. HYATT VERRILL

V55 1912 E3

623.83 d
U55 1912 3d

MINNEAPOLIS
PUBLIC LIBRARY

Any person who shall mark, mutilate or otherwise injure this book, is liable by law to a heavy fine, or to a term of imprisonment, and in addition is liable to the Library for its full retail value.

This book must not be loaned by the person taking it out, as he is responsible for it until it has been properly credited on his card.

Books may be kept for fourteen days unless otherwise indicated. The penalty for detention over time is two cents a day.

PRESENT CARD WHEN TAKING OR RETURNING BOOK

DATE TAKEN

[illegible] 23'36	31		
Mr 10'37	36		
1CMY 31'38	32		
	33		
[illegible]	37		
[illegible] JL 23'41	38		
[illegible]	41		
[illegible] Jn 12'41	40		

York.

125

KNOTS, SPLICES and ROPE WORK

A PRACTICAL TREATISE

Giwing Complete and Simple Directions for Making All the Most Useful and Ornamental Knots in Common Use, with Chapters on Splicing, Pointing, Seizing, Serving, etc. Adapted for the use of Travellers, Campers, Yachtsmen, Boy Scouts, and all others having to use or handle ropes for any purpose.

By

A. HYATT VERRILL

Editor Popular Science Dept., "American Boy Magazine."

SECOND REVISED EDITION

Illustrated with 156 Original Cuts Showing How Each Knot, Tie or Splice is Formed and Its Appearance When Complete.

NEW YORK

THE NORMAN W. HENLEY PUBLISHING CO.

132 NASSAU STREET

1917

Tech
623.83
V55
1912 2d

COPYRIGHTED 1917 AND 1912
BY
THE NORMAN W. HENLEY PUBLISHING CO.

MINNEAPOLIS
PUBLIC LIBRARY

3-33-Gift

Composition, Electrotyping and Presswork by Publishers Printing Company, New York.

CONTENTS

PAGE

INTRODUCTION 3

CHAPTER I

CORDAGE

Kinds of Rope. Construction of Rope. Strength of Ropes. Weight of Ropes. Material Used in Making Ropes 13

CHAPTER II

SIMPLE KNOTS AND BENDS

Parts of Rope: Whipping and Seizing Rope. Loops. Cuckolds' Necks. Clinches. Overhand and Figure-eight Knots. Square and Reef Knots. Granny Knots. Open-hand and Fishermen's Knots. Ordinary Knots and Weavers' Knots. Garrick Bends and Hawser Hitches. Half-hitches 17

CHAPTER III

TIES AND HITCHES

Larks' Heads. Slippery and Half-hitches. Clove Hitches. Gunners' Knots and Timber Hitches. Twists, Cats-paws, and Blackwall Hitches. Chain Hitch. Rolling and Magnus Hitches. Studding-sail and Gaff-topsail Halyard Bends. Roband and Fisherman's Hitches . 30

CHAPTER IV

PAGE

NOOSES, LOOPS, AND MOORING KNOTS

Waterman's Knot. Larks' Heads with Nooses. Cleat and Wharf Ties. Bow-line Knots. Loops and Loop Knots . 43

CHAPTER V

SHORTENINGS, GROMMETS, AND SELVAGEES

Two-, Three-, and Fivefold Shortenings. Single Plaits and Monkey Chain. Twist Braids and Braiding Leather. Open Chains. Seized and Bow Shortenings. Sheepshanks and Dogshanks. Grommets. Selvagee Straps and Selvagee Boards. Flemish and Artificial Eyes. Throat Seizings. Lashed Splices 50

CHAPTER VI

LASHINGS, SEIZINGS, SPLICES, ETC.

Wedding Knots and Rose Lashings. Deadeye and Loop Lashings. Belaying-pin Splice. Necklace Ties. Close Bands and End Pointing. Ending Ropes. Short Splices. Long Splices. Eye and Cut Splices 65

CHAPTER VII

FANCY KNOTS AND ROPE WORK

Single Crown Knots. Tucked Crowns. Single Wall Knots. Common and French Shroud Knots. Double Crown and Double Wall Knots. Crowning Wall Knots. Double Wall and Crown. Manrope Knots. Topsail-halyard Toggles. Matthew Walker and Stopper Knots. Turks' Heads and Turks' Caps. Worming, Parcelling, and Serving. Serving Mallet. Half-hitch Work. Four-strand and Crown Braids. Rope Buckles and Swivels. Slinging Casks and Barrels. Rope Belting 77

INDEX 99

INTRODUCTION

THE history of ropes and knots is so dim and ancient that really little is known of their origin. That earliest man used cordage of some kind and by his ingenuity succeeded in tying the material together, is indisputable, for the most ancient carvings and decorations of prehistoric man show knots in several forms. Doubtless the trailing vines and plants first suggested ropes to human beings; and it is quite probable that these same vines, in their various twistings and twinings, gave man his first idea of knots.

Since the earliest times knots have been everywhere interwoven with human affairs; jugglers have used them in their tricks; they have become almost a part of many occupations and trades, while in song and story they have become the symbol of steadfastness and strength.

Few realize the importance that knots and cordage have played in the world's history, but if it had not been for these simple and every-day things, which as a rule are given far too little consideration, the human race could never have developed beyond savages. Indeed, I am not sure but it would be safe to state that the real difference between civilized and savage man consists largely in the knowledge of knots and rope work. No cloth could be woven, no net or seine knitted, no bow strung and no craft sailed on lake or sea without numerous knots and proper lines or ropes; and Columbus himself would have been far more handicapped without knots than without a compass.

History abounds with mention of knots, and in the eighth book of "Odyssey" Ulysses is represented as securing various articles of raiment by a rope fastened in a "knot closed with Circean art"; and as further proof of the prominence the ancients gave to knots the famous Gordian Knot may be mentioned. Probably no one will ever learn just how this fabulous knot was tied, and like many modern knots it was

doubtless far easier for Alexander to cut it than to untie it.

The old sorcerers used knots in various ways, and the witches of Lapland sold sailors so-called "Wind Knots," which were untied by the sailors when they desired a particular wind. Even modern conjurors and wizards use knots extensively in their exhibitions and upon the accuracy and manner in which their knots are tied depends the success of their tricks.

In heraldry many knots have been used as symbols and badges and many old Coats of Arms bear intricate and handsome knots, or entwined ropes, emblazoned upon them.

As to the utility of knots and rope work there can be no question. A little knowledge of knots has saved many a life in storm and wreck, and if every one knew how to quickly and securely tie a knot there would be far fewer casualities in hotel and similar fires. In a thousand ways and times a knowledge of rope and knots is useful and many times necessary. Many an accident has occurred through a knot or splice being improperly formed, and even in tying an ordinary bundle or "roping" a trunk or

box few people tie a knot that is secure and yet readily undone and quickly made. In a life of travel and adventure in out-of-the-way places, in yachting or boating, in hunting or fishing, and even in motoring, to command a number of good knots and splices is to make life safer, easier, and more enjoyable, aside from the real pleasure one may find in learning the interesting art of knot-tying.

Through countless ages the various forms of knots and fastenings for rope, cable, or cord have been developed; the best kinds being steadily improved and handed down from generation to generation, while the poor or inferior fastenings have been discarded by those whose callings required the use of cordage.

Gradually, too, each profession or trade has adopted the knots best suited to its requirements, and thus we find the Sailor's Knot; the Weaver's Knot; Fishermen's knots; Builders' knots; Butchers' knots; and many others which have taken their names from the use to which they are especially adapted.

In addition to these useful knots, there

are many kinds of ornamental or fancy knots used in ornamenting the ends of ropes, decorating shrouds of vessels, railings, and similar objects; while certain braids or plaits, formed by a series of knots, are widely used aboard ship and on land.

In many cases ropes or cable must be joined in such a way that they present a smooth and even surface and for such purposes splices are used, while knots used merely as temporary fastenings and which must be readily and quickly tied and untied are commonly known as "bends" or "hitches." Oddly enough, it is far easier to tie a poor knot than a good one, and in ninety-nine cases out of a hundred the tyro, when attempting to join two ropes together, will tie either a "slippery" or a "jamming" knot and will seldom succeed in making a recognized and "ship-shape" knot of any sort.

The number of knots, ties, bends, hitches, splices, and shortenings in use is almost unlimited and they are most confusing and bewildering to the uninitiated. The most useful and ornamental, as well as the most reliable, are comparatively few in number,

and in reality each knot learned leads readily to another; in the following pages I have endeavored to describe them in such a manner that their construction may be readily understood and mastered.

THE AUTHOR.

JANUARY, 1917.

KNOTS, SPLICES AND ROPE WORK

CHAPTER I

CORDAGE

Before taking up the matter of knots and splices in detail it may be well to give attention to cordage in general. Cordage, in its broadest sense, includes all forms and kinds of rope, string, twine, cable, etc., formed of braided or twisted strands. In making a rope or line the fibres (*A*, Fig. 1) of hemp, jute, cotton, or other material are loosely twisted together to form what is technically known as a "yarn" (*B*, Fig. 1). When two or more yarns are twisted together they form a "strand" (*C*, Fig. 1). Three or more strands form a rope (*D*, Fig. 1), and three ropes form a cable (*E*, Fig. 1). To form a strand the yarns are twisted together in the opposite direction from that in which the original fibres were twisted; to form a rope the strands are twisted in the opposite direction from the

yarns of the strands, and to form a cable each rope is twisted opposite from the twist of the strands. In this way the natural tendency for each yarn, strand, or rope to untwist serves to bind or hold the whole firmly together (Fig. 1).

Rope is usually three-stranded and the



FIG. 1.—Construction of rope.

strands turn from left to right or "with the sun," while cable is left-handed or twisted "against the sun" (*E*, Fig. 1). Certain ropes, such as "bolt-rope" and most cables, are laid around a "core" (*F*, Fig. 2) or central strand and in many cases are four-stranded (Fig. 2).

The strength of a rope depends largely upon the strength and length of the fibres from which it is made, but the amount each

yarn and strand is twisted, as well as the method used in bleaching or preparing the fibres, has much to do with the strength of the finished line.

Roughly, the strength of ropes may be calculated by multiplying the circumference



FIG. 2.—Bolt-rope.

of the rope in inches by itself and the fifth part of the product will be the number of tons the rope will sustain. For example, if the rope is 5 inches in circumference, $5 \times 5 = 25$, one-fifth of which is 5, the number of tons that can safely be carried on a 5-inch rope. To ascertain the weight of ordinary "right hand" rope, multiply the circumference in inches by itself and multiply the result by the length of rope in fathoms and divide the product by 3.75.

For example, to find the weight of a 5-inch rope, 50 fathoms in length: $5 \times 5 = 25$; $25 \times 50 = 1{,}250$; $1{,}250 \div 3.75 = 333\frac{1}{3}$ lbs. These figures apply to Manila or hemp rope, which is the kind commonly used, but jute, sisal-flax, grass, and silk are also used considerably. Cotton rope is seldom used save for small hand-lines, clothes-lines, twine, etc., while wire rope is largely used nowadays for rigging vessels, derricks, winches, etc., but as splicing wire rope is different from the method employed in fibre rope, and as knots have no place in wire rigging, we will not consider it.

CHAPTER II

Simple Knots and Bends

For convenience in handling rope and learning the various knots, ties, and bends, we use the terms "standing part," "bight," and "end" (Fig. 3). The *Standing Part* is the principal portion or longest part of the rope; the *Bight* is the part curved or bent while working or handling; while the *End* is that part used in forming the knot or hitch. Before commencing work the loose ends or strands of a rope should be "whipped" or "seized" to prevent the rope from unravelling; and although an expert can readily tie almost any knot, make a splice, or in fact do pretty nearly anything with a loose-ended rope, yet it is a wise plan to invariably whip the end of every rope, cable, or hawser to be handled, while a marline-spike, fid, or pointed stick will also prove of great help in working rope.

To whip or seize a rope-end, take a piece of twine or string and lay it on the rope an

inch or two from the end, pass the twine several times around the rope, keeping the ends of the twine under the first few



FIG. 3.—Parts of rope.

turns to hold it in place; then make a large loop with the free end of twine; bring it back to the rope and continue winding



FIG. 4.—Whipping.

for three or four turns around both rope and end of twine; and then finish by drawing the loop tight by pulling on the free end (Fig. 4).

All knots are begun by "loops" or rings commonly known to mariners as "Cuckolds' Necks" (Fig. 5). These may be either over-

FIG. 5.—Cuckolds' necks.

hand or underhand, and when a seizing or fastening of twine is placed around the two parts where they cross a useful rope ring

FIG. 6.—Clinch.

known as a "clinch" is formed (Fig. 6). If the loose end of the rope is passed over the standing part and through the "cuck-

old's neck," the simplest of all knots, known as the "Overhand Knot," is made (Fig. 7). This drawn tight appears as in Fig. 8, and while so simple this knot is important, as it

FIG. 7 FIG. 8

FIGS. 7 and 8.—Overhand knots.

is frequently used in fastening the ends of yarns and strands in splicing, whipping, and seizing. The "Figure-Eight Knot" is almost as simple as the overhand and is plainly shown in Figs. 9 and 10. Only a



FIG. 9 FIG. 10

FIGS. 9 and 10.—Figure-eight knots.

step beyond the figure-eight and the overhand knots are the "Square" and "Reefing" knots (Figs. 11 and 12). The square knot is probably the most useful and widely used of any common knot and is the best all-

around knot known. It is very strong, never slips or becomes jammed, and is readily untied. To make a square knot, take the ends of the rope and pass the left



FIG. 11 FIG. 12

FIGS. 11 and 12.—Square knots.

end over and under the right end, then the right over and under the left. If you once learn the simple formula of "Left over," "Right over," you will never make a mis-



FIG. 13.—Granny knot.

take and form the despised "Granny," a most useless, bothersome, and deceptive makeshift for any purpose (Fig. 13). The true "Reef Knot" is merely the square knot

with the bight of the left or right end used instead of the end itself. This enables the knot to be "cast off" more readi y than the regular square knot (*A*, Fig. 12). Neither square nor reef knots, however, are reliable

FIG. 14.—Slipped square knot.

when tying two ropes of unequal size together, for under such conditions they will frequently slip and appear as in Fig. 14, and sooner or later will pull apart. To prevent this the ends may be tied or seized as

FIG. 15.—Square knot with ends seized.

shown in Fig. 15. A better way to join two ropes of unequal diameter is to use the "Open-hand Knot." This knot is shown in Fig. 16, and is very quickly and easily made; it never slips or gives, but is rather

large and clumsy, and if too great a strain is put on the rope it is more likely to break at the knot than at any other spot. The "Fisherman's Knot," shown in Fig. 17, is a good knot and is formed by two simple overhand knots slipped over each rope,



FIG. 16.—Open-hand knots.

and when drawn taut appears as in Fig. 18. This is an important and valuable knot for anglers, as the two lines may be drawn apart by taking hold of the ends, *A*, *B*, and a third line for a sinker, or extra hook, may be inserted between them. In joining gut lines the knot should be left

slightly open and the space between wrapped with silk. This is probably the strongest known method of fastening fine lines.



FIG. 17.—Fisherman's knot (making).

FIG. 18.—Fisherman's knot (finished).

The "Ordinary Knot," for fastening heavy ropes, is shown in Fig. 19. It is made by forming a simple knot and then

FIG. 19.—Ordinary knot (finished).

interlacing the other rope or "following around," as shown in Fig. 20. This knot is very strong, will not slip, is easy to make,

and does not strain the fibres of the rope. Moreover, ropes joined with this knot will pay out, or hang, in a straight line. By whipping the ends to the standing parts it



FIG. 20.—Ordinary knot (tying).

becomes a neat and handsome knot (Fig. 21). The "Weaver's Knot" (Fig. 22) is more useful in joining small lines, or twine, than for rope, and for thread it is without

FIG. 21.—Ordinary knot (seized).

doubt the best knot known. The ends are crossed as in Fig. 23. The end *A* is then looped back over the end *B*, and the end *B* is slipped through loop *C* and drawn tight.

Another useful and handsome knot is illustrated in Fig. 24. This is a variation

of the figure-eight knot, already described, and is used where there is too much rope,

FIG. 22.—Weaver's knot (complete).

or where a simple knot is desired to prevent the rope running through an eye, ring, or



FIG. 23.—Weaver's knot (tying).

tackle-block. It is made by forming a regular figure eight and then "following

FIG. 24.—Double figure-eight knot (complete).

round" with the other rope as in Fig. 25. It is then drawn taut and the ends seized to the standing part if desired.

Sometimes we have occasion to join two heavy or stiff ropes or hawsers, and for this purpose the "Garrick Bend" (Fig. 26) is



FIG. 25.—Double figure-eight knot (tying).

preeminently the best of all knots. To make this knot, form a bight by laying



FIG. 26.—Garrick bend (finished).

the end of a rope on top of and across the standing part. Next take the end of the other rope and pass it through this bight,

first down, then up, over the cross and down through the bight again, so that it comes out on the opposite side from the other end, thus bringing one end on top and the other



FIG. 27.—Garrick bend (tying).

below, as illustrated in Fig. 27. If the lines are very stiff or heavy the knot may be secured by seizing the ends to the standing



FIG. 28.—Simple hitch (hawser).

parts. A much simpler and a far poorer knot is sometimes used in fastening two heavy ropes together. This is a simple hitch within a loop, as illustrated in Fig.

28, but while it has the advantage of being quickly and easily tied it is so inferior to the Garrick bend that I advise all to adopt the latter in its place.

When two heavy lines are to be fastened for any considerable time, a good method

FIG. 29.—Half-hitch and seizing.

is to use the "Half-hitch and Seizing," shown in Fig. 29. This is a secure and easy method of fastening ropes together and it allows the rope to be handled more easily, and to pass around a winch or to be coiled much more readily, than when other knots are used.

CHAPTER III

Ties and Hitches

All the knots I have so far described are used mainly for fastening the two ends of a rope, or of two ropes, together. Of quite a different class are the knots used in making a rope fast to a stationary or solid object, and are known as "hitches" or "ties."

One of the easiest of this class to make and one which is very useful in fastening a boat or other object where it may be necessary to release it quickly is the "Lark's Head" (Fig. 30). To make this tie, pass a bight of your rope through the ring, or other object, to which you are making fast and then pass a marline-spike, a billet of wood, or any similar object through the sides of the bight and under or behind the standing part, as shown in *A*, Fig. 30. The end of the rope may then be laid over and under the standing part and back over itself. This knot may be instantly released

by merely pulling out the toggle. Almost as quickly made and unfastened is the "Slippery Hitch" (Fig. 32). To make this, run the end of the rope through the ring or eye to which it is being fastened, then back over the standing part and pull a loop,



FIG. 30.—Lark's head with toggle (*A*).

FIG. 31.—Lark's head with toggle (*A*) withdrawn.

or bight, back through the "cuckold's neck" thus formed (Fig. 33). To untie, merely pull on the free end. Two half-hitches, either around a post or timber or around the standing part of the rope, make an ideal and quickly tied fastening (Figs. 34 and 35). To make these, pass the end around

the post, ring, or other object, then over and around the standing part between the post and itself, then under and around the



FIG. 32.—Slippery hitch (complete).

FIG. 33.—Slippery hitch (tying).

standing part and between its own loop and the first one formed. After a little practice you can tie this knot almost instantly and by merely throwing a couple of turns around a post, two half-hitches may be formed instantly. This knot will hold forever without loosening, and even on a smooth, round stick or spar it will stand an enormous strain without slipping. A more secure knot for this same purpose is the "Clove Hitch" (Fig. 36), sometimes

known as the "Builders' Hitch." To make this, pass the end of rope around the spar or timber, then over itself; over and around the spar, and pass the end under itself and between rope and spar, as shown in the illustration. The Clove hitch with ends knotted becomes the "Gunners' Knot"

Fig. 34.

Fig. 35.

FIGS. 34 and 35.—Half-hitches.

(Fig. 37). These are among the most valuable and important of knots and are useful in a thousand and one places. The Clove hitch will hold fast on a smooth timber and is used extensively by builders for fastening the stageing to the upright posts. It is also useful in making a tow-line fast to a wet spar, or timber, and even on a slimy and slippery spile it will seldom slip. For this purpose the "Timber Hitch" (Fig. 32) is even better than the Clove hitch. It is

easily made by passing the end of a rope around the spar or log, round the standing part of the rope and then twist it three or more times around, under and over itself.

FIG. 36 *A*.—Clove hitch or builder's hitch (tying).

FIG. 36 *B*.—Clove hitch (complete).

If you wish this still more secure, a single half-hitch may be taken with the line a couple of feet further along the spar (Fig. 39).

It is remarkable what power to grip a twisted rope has, and the "Twist Knots" shown in Figs. 40 and 41 illustrate two



FIG. 37.—Gunner's knot.

ways of making fast which are really not knots at all but merely twists. These may be finished by a simple knot, or a bow-knot,

FIG. 38.—Timber hitch.

as shown in Fig. 42, but they are likely to jam under great pressure and are mainly useful in tying packages, or bundles, with

small cord, where the line must be held taut until the knot is completed. This principle of fastening by twisted rope is also utilized



FIG. 39.—Timber hitch and half-hitch.

in the "Catspaw" (Fig. 43), a most useful knot or "hitch" for hoisting with a hook.



FIGS. 40 and 41.—"Twists."

To make this, pass the bight of your rope over the end and standing part, then, with a bight in each hand, take three twists from

you, then bring the two bights side by side and throw over the hook (Fig. 44).

The "Blackwall Hitch" (Fig. 45) is still

FIG. 42.—Twist with bow.

simpler and easier to make and merely consists of a loop, or cuckold's neck, with the end of rope passed underneath the standing

FIG. 43.—Catspaw.

FIG. 44.—Catspaw (tying).

part and across the hook so that as soon as pressure is exerted the standing part bears on the end and jams it against the hook.

FIG. 45.—Blackwall hitch.

The "Chain Hitch" (Fig. 46) is a very strong method of fastening a line to a timber, or large rope, where one has a rope of sufficient length, and is used frequently

FIG. 46.—Chain hitch.

to help haul in a large rope or for similar purposes. It consists simply of a number of half-hitches taken at intervals around the object and is sometimes used with a

lever or handspike, as shown in Fig. 47. The "Rolling Hitch" is a modified Clove hitch and is shown in Fig. 48. The



FIG. 47.—Chain hitch with bar.

"Magnus Hitch" (Fig. 49) is a method frequently used on shipboard for holding spars; and the "Studding-sail Bend" (Fig. 50) is also used for this purpose. Occasions



FIG. 48.—Rolling hitch.



FIG. 49.—Magnus hitch.

sometimes arise where a tackle, hook, ring, or another rope must be fastened to a beam by the same rope being used, and in such

cases the "Roband Hitch" (Fig. 51) comes in very handy. These are all so simple and easily understood from the figures that no

FIG. 50.—Studding-sail bend.

explanation is necessary. Almost as simple are the "Midshipman's Hitch" (Fig. 52), the "Fisherman's Hitch" (Fig. 53), and the



FIG. 51 *A*.—Roband hitch (front).



FIG. 51 *B*.—Roband hitch (back).

"Gaff Topsail Halyard Bend" (Fig. 54). The midshipman's hitch is made by taking a half-hitch around the standing part and a round turn twice around above it. The



FIG. 52.—Midshipman's hitch.

fisherman's hitch is particularly useful in making fast large hawsers; with the end of a rope take two turns around a spar, or through a ring; take a half-hitch around

the standing part and under all the turns; then a half-hitch round the standing part only and if desired seize the end to standing

FIG. 53.—Fisherman's hitch.

part. The gaff-topsail bend is formed by passing two turns around the yard and



FIG. 54.—Gaff-topsail halyard bend.

coming up on a third turn over both the first two turns; over its own part and one turn; then stick the end under the first turn.

CHAPTER IV

Nooses, Loops and Mooring Knots

Nothing is more interesting to a landsman than the manner in which a sailor handles huge, dripping hawsers or cables and with a few deft turns makes then fast to a pier-head or spile, in such a way that the ship's winches, warping the huge structure o or from the dock, do not cause the slightest give or slip to the rope and yet, a moment later, with a few quick motions, the line is cast off, tightened up anew, or paid out as required. Clove hitches, used as illustrated in Fig. 55, and known as the "Waterman's Knot," are often used, with a man holding the free end, for in this way a slight pull holds the knot fast, while a little slack gives the knot a chance to slip without giving way entirely and without exerting any appreciable pull on the man holding the end.

"Larks' Heads" are also used in conjunction with a running noose, as shown in Fig.

56, while a few turns under and over and around a cleat, or about two spiles, is a



FIG. 55.—Waterman's knot.

method easily understood and universally used by sailors (Fig. 57). The sailor's knot

FIG. 56.—Larks' heads and running noose.

par excellence, however, is the "Bow-line" (Fig. 58), and wherever we find sailors, or

seamen, we will find this knot in one or another of its various forms. When you can readily and surely tie this knot every time, you may feel yourself on the road to "Marline-spike Seamanship," for it is a true



FIG. 57.—Cleat and wharf ties.

sailor's knot and never slips, jams, or fails; is easily and quickly untied, and is useful in a hundred places around boats or in fact in any walk of life. The knot in its various stages is well shown in Fig. 59 and by following these illustrations you will understand it much better than by a description alone. In *A* the rope is shown with a bight or cuckold's neck formed with the end over

the standing part. Pass *A* back through the bight, under, then over, then under, as shown in *B*, then over and down through the bight, as shown in *C* and *D*, and draw



FIG. 58.—Bow-line.



FIG. 59.—Tying bow-line.

taut, as in *E*. The "Bow-line on a Bight" (Fig 60) is just as easily made and is very useful in slinging casks or barrels and in forming a seat for men to be lowered over cliffs, or buildings, or to be hoisted aloft

FIG. 60.—Bow-line on bight.

FIG. 61.—Running bow-line.

aboard ship for painting, cleaning, or rigging. A "Running Bow-line" (Fig. 61) is merely a bow-line with the end passed through the loop, thus forming a slip knot. Other "Loops" are made as shown in Figs. 62–65, but none of these are as safe, sure, and useful as the bow-line. One of these knots, known as the "Tomfool Knot" (Fig. 66), is used as

handcuffs and has become quite famous, owing to its having baffled a number of "Handcuff Kings" and other performers

FIG. 62.—Loop knot.

FIG. 63.—Loop knot.

FIG. 64.—Loop knot.

FIG. 65.—Loop knot.

who readily escaped from common knots and manacles. It is made like the running knot (Fig. 62), and the firm end is then passed

through the open, simple knot so as to form a double loop or bow. If the hands or wrists are placed within these loops and



FIG. 66.—Tomfool knot.

the latter drawn taut, and the loose ends tied firmly around the central part, a pair of wonderfully secure handcuffs results.

CHAPTER V

Shortenings, Grommets, and Selvagees

In many cases a rope may prove too long for our use or the free ends may be awkward, or in the way. At such times a knowledge of "shortenings" is valuable. There are quite a variety of these useful knots, nearly all of which are rather handsome and ornamental, in fact a number of them are in constant use aboard ship merely for ornament.

The simplest form of shortening, shown in Fig. 67, is a variation of the common and simple overhand knot already described and illustrated. These knots are formed by passing the end of a rope twice or more times through the loop of the simple knot and then drawing it tight (Fig. 68). They are known as "Double," "Treble," "Fourfold," or "Sixfold" knots and are used to prevent a rope from passing through a ring or block as well as for shortening. All gradations from the double to the sixfold

are shown in Fig. 69, both in process of making and as they appear when drawn taut. Another very simple form of shortening is shown in Fig. 70 and is known as

FIG. 67.—Twofold shortening (making).

FIG. 68.—Twofold shortening (taut).

the "Single Plait," or "Chain Knot." To make this shortening, make a running loop (*A*, Fig. 70), then draw a bight of the rope through this loop, as shown at *B*, draw another bight through this, as at *C* to *D*, and

FIG. 69.—Three- and fivefold shortening.

continue in this way until the rope is shortened to the desired length; the free end should then be fastened by passing a bit of stick through the last loop, *F*, or by

running the free end through the last loop, as at *E*. To undo this shortening, it is only necessary to slip out the free end, or the bit of wood, and pull on the end, when



FIG. 70.—Single plait or monkey chain (making).

the entire knot will quickly unravel. The "Twist," or "Double Chain," is made in a similar manner but is commenced in a different way (*A*, Fig. 71). It may also be made with three separate pieces of line, as

shown in *B*, Fig. 71. Hold the double loop in the left hand; the part *A* is then brought over *B*; with a half turn *B* is crossed over to *A*, and then proceed as in the ordinary three-strand plait until the end of loop is reached,

FIG. 70 *F*.—Monkey chain or single plait (complete).

when the loose end is fastened by passing through the bight and the completed shortening appears as in Fig. 72. This same process is often used by Mexicans and Westerners in making bridles, headstalls, etc., of leather. The leather to be used is slit lengthwise from near one end to near the other, as shown in Fig. 73, and the braid is formed as described. The result appears

as in Fig. 74, and in this way the ends of the leather strap remain uncut, and thus much stronger and neater than they would be were three separate strips used.



FIG. 71.—Twist braid (making).

FIG. 72.—Twist braid (complete).

Another handsome knot for shortening is the more highly ornamental "Open Chain" (Fig. 75). Make the first loop of the rope



FIG. 73.—Leather cut to braid.

secure by a twist of the rope and then pass the loose end through the preceding loop, to right and left alternately, until the knot is complete.

The simplest of all shortenings consists of a loop taken in the rope with the bights

FIG. 74.—Leather braid (complete).

seized to the standing part (Fig. 76). This is particularly well adapted to heavy rope



FIG. 75.—Open chain.

or where a shortening must be made quickly. Fig. 77 shows another very simple shorten-



FIG. 76.—Seized shortening.

ing, which requires no description. This will not withstand a very great strain but is

secure from untying by accident and is very useful for taking up spare rope of lashings on bundles or baggage. "Sheepshanks,"

FIG. 77.—Bow shortening.

or "Dogshanks," are widely used for shortening rope, especially where both ends are fast, as they can be readily made in the



FIG. 78.—Sheepshank.

centre of a tied rope. There are several forms of these useful knots. The best and most secure form is shown in Fig. 78. A



FIG. 79.—Another sheepshank.

simple running knot is first made; a bend is pushed through the loop, which is then drawn taut; the other end of the bend is

fastened in a similar manner and the shortening is complete A much simpler form is shown in Fig. 79, but this can hardly be depended upon unless the ends are seized,

FIG. 80.—Sheepshank with ends seized.

as shown in Fig. 80. Figs. 81–82 illustrate two other forms of shortenings, but these can only be used where the end of the rope

FIG. 81.—Sheepshank for free-ended rope.

is free, and are intended for more permanent fastenings than the ordinary sheepshank; while Fig. 83 is particularly adapted to be

FIG. 82.—Sheepshank for free-ended rope.

cast loose at a moment's notice by jerking out the toggles, *A*, *B*.

Grommets are round, endless rings of rope useful in a myriad ways aboard ship

as well as ashore. They are often used as handles for chests, for rings with which to play quoits, to lengthen rope, and in many similar ways. The grommet is formed of a single strand of rope *five times as long as the circumference of the grommet when*



FIG. 83.—Sheepshank with toggle.

complete. Take the strand and lay one end across the other at the size of loop required and with the long end follow the grooves or "lay" of the strand until back to where you started (Fig. 84), thus forming a two-stranded ring. Then continue twisting the free end between the turns already made until the three-strand ring is complete (Fig. 85). Now finish and secure the ends by making overhand knots, pass the ends underneath the nearest strands and trim ends off close (Fig. 86). If care is taken and you remember to keep a strong twist on the strand while "laying up" the grommet, the finished ring will be as

firm and smooth and endless as the original rope.

A "Sevagee" or "Selvagee" strap is another kind of ring (Fig. 87). This is made by passing a number of strands or yarns



Figs. 84, 85, and 86.—Grommet complete and making.

around pins or nails set in a board (Fig. 88), and binding the whole together with a seizing of yarn or marline (Fig. 89). These are strong, durable straps much used for blocks aboard ship, for handles to boxes and chests, and in many similar ways. A "Flemish Eye" (Fig. 90) is an eye made in a manner

much like that employed in forming the selvagee strap. Take a spar or piece of wood the size of the intended eye *A*.

FIG. 87.—Selvagee strap.

Around this wood lay a number of pieces of yarn or marline, *B*, *B*, *B*, and fasten them by tying with twine as at *C*. Whip the



FIG. 88.—Selvagee board.



FIG. 89.—Seizing a selvagee strap.

piece of rope in which eye is to be formed and unravel and open out the strands as at *D*. Lap the yarns over the wood and

the stops *B*, and fasten together by overhand knots *E*, worm the free ends under and over and then bring up the ends of the stops *B* and tie around the strands of eye as shown. The eye may be finished neatly by



FIG. 90 *A*.—Making Flemish eye.

whipping all around with yarn or marline, and will then appear as in Fig. 90 *B*. An "Artificial Eye" (Fig. 91) is still another form of eye which will be found useful and in some ways easier and quicker to make than a spliced eye, besides being stronger.

Take the end of a rope and unlay one strand; place the two remaining strands back alongside of the standing part (Fig. 92).

Pass the loose strand which has been unlaid over the end, and follow around the spaces between the two strands and then around eye,—as in making a grommet,—until it

FIG. 90 *B*.—Flemish eye (complete).

FIG. 91.—Artificial eye.

returns down the standing part and lies under the eye with the strands (Fig. 93). Then divide the strands, taper them down, and whip the whole with yarn or marline (Fig. 94).

Still another eye which at times will be useful is the "Throat Seizing," shown in Fig. 95. This is made by opening the end slightly and lashing it to the standing part

FIG. 92

FIG. 93

FIGS. 92 and 93.—Making artificial eye.



FIG. 94.—Artificial eye (whipped).

FIG. 95.—Throat seizing.

as shown. Another ring sometimes used is illustrated in Fig. 96, and is easily and quickly made by lashing the two ends of a

FIG. 96.—Lashed cut-splice.

short rope to the standing part of another. Cuckolds' necks with lashings or "Clinches" are also used for the same purpose.

CHAPTER VI

Lashings, Seizings, Splices, etc.

Almost any one can lash a rope more or less satisfactorily, but a knowledge of how to do this properly and in the manner best suited to each case is of great importance to seamen and others having occasion to handle ropes, rigging, or in fact any cordage.

The varieties of lashings, seizings, whippings, and servings are almost innumerable, but a few of the best and most frequently used are the "Wedding Knot" or "Rose Lashing," the "Deadeye Lashing," the "Belaying-pin Splice," the "Necklace Tie," the "Close Band," and "End Pointings." The rose lashing (Fig. 97) is used to join two eyes or ropes finished with loops. The deadeye lashing (Fig. 98) is frequently used on ships' standing rigging and is a familiar sight to every one who has seen a sailing-vessel. It consists of a small line reeved back and forth through the holes in the "deadeyes," *A*; the ends are then seized

to the standing rigging to prevent slipping. This lashing admits of easy and rapid lengthening or shortening of the rig-

FIG. 97.—Rose lashing.

ging and is particularly useful in connection with wire cable. A similar method may be used with loops instead of deadeyes (Fig.



FIG. 98.—Deadeye lashing.

99). The belaying-pin splice, shown in Fig. 100, is a quick and handy way of fastening two ropes together and is of great value

FIG. 99.—Loop lashing.

when rigging is carried away and some quick method of joining the severed ends is required. Pass a belaying-pin or similar

toggle through an eye or loop in one end of a rope and pass this through a loop or eye in the broken rope end. Form a loop in the other broken end, slip the free end of



FIG. 100.—Belaying-pin splice.

the lanyard through this and around another toggle or pin and haul taut; then fasten by half-hitches around standing part (*A*, Fig. 100), or by seizing (*B*, Fig. 100). This is a strong, reliable fastening and can be tightened up or instantly thrown off at will.



FIG. 101.—Necklace tie.

The necklace tie is useful in holding two ropes, hawsers, or timbers side by side (Fig. 101). The lashing is passed around and around the two objects to be joined and the

ends secured by a square knot passed around the band lengthwise. The close band is used for the same purposes as the last and is made in the same manner, but the ends are fastened by drawing through beneath the turns (Fig. 102).

End pointings are very useful as well as ornamental, for while an ordinary seizing or whipping will prevent the strands from



FIG. 102.—Close band.

unravelling, the ends are broad and clumsy and oftentimes are too large to pass through a block or eye large enough for the rest of the rope. The ordinary way of pointing a rope is to first whip as described (Fig. 4), and then unlay the end as for the Flemish eye. Take out about two-thirds of the yarns and twist each in two. Take two parts of different yarns and twist together with finger and thumb, keeping the lay on the yarn and thus forming left-handed stuff

known as "nettles." Comb out the rest of the yarn with a knife, leaving a few to lay back upon the rope. Now pass three turns of twine like a timber-hitch tightly around the part where the nettles separate and fasten the twine, and while passing



FIG. 103.—Pointing a rope.

this "warp" lay the nettles backward and forward with each turn. The ends are now whipped with twine or yarn and finally "snaked," which is done by taking the end under and over the outer turns of the seizing alternately. If the rope is small a stick is often put in the upper part to

strengthen it or the tip may be finished with a small eye. If properly done a pointed rope is very handsome and appears as in *B*, Fig. 103. Another simple way of finish-

FIG. 104.—Ending rope.

FIG. 105.—Ending rope.

ing a rope end is to seize the end, as at *A*, Fig. 104, and open out the strands, bring the strands back alongside the rope, and whip the whole (Fig. 105).

Splicing is, in many cases, more useful and better than tying or bending ropes together and a good splice always looks neater and more ship-shape than a knot, no matter how well-made it may be. A person familiar with splicing will turn in a splice almost as quickly as the ordinary man can tie a secure knot, and in many cases, where the rope must pass through sheaves or

blocks, a splice is absolutely necessary to fasten two ropes or two parts of a parted rope together. The simplest of all splices



FIG. 106.—Short splice.

is known as the "Short Splice" (Fig. 106). This is made as follows: Untwist the ends of the rope for a few inches and seize with

FIG. 106 *D*.—Short splice (continued).

twine to prevent further unwinding, as shown at *A*, *A;* also seize the end of each strand to prevent unravelling and grease

or wax the strands until smooth and even. Now place the two ends of the ropes together as shown at *B*, *B*. Then with a marline-spike, or a pointed stick, work open the strand 1 *c*, and through this pass the strand *A* of the other rope; then open strand 2 and pass the next strand of the other rope through it and then the same way with the third strand. Next open up the strands of the other rope, below the seizing, and pass the strands of the first rope through as before, 3 *A*, *B*. The ropes will now appear as in Fig. 106, *D*. Now untwist the six strands and cut away about half the yarns from each and seize the ends as before; pass these reduced strands through under the whole strands of the rope—the strands of the left under the strands of the right rope and *vice versa*—for two or three lays and then cut off projecting ends, after drawing all as tight as you can. If an extra-neat splice is desired the strands should be gradually tapered as you proceed, and in this way a splice but little larger than the original diameter of the rope will result. The only difficulty you will find in making this splice is in getting the strands to come

together in such a way that two strands will not run under the same strand of the opposite rope. To avoid this, bear in mind that the *first strand must be passed over the strand which is first next to it and through under the second and out between the second and third.* In the following operations the strands are passed *over* the third and *under*



FIG. 107.—Long splice.

the fourth; but the figures will make this perfectly clear. A far better and stronger splice is the "Long Splice," which will run through any block or tackle which will admit the rope itself; indeed, a well-made long splice cannot be distinguished from the rope itself after a few days' use (Fig. 107). To make this useful splice, unlay the ends of the rope about four times as much as for the short splice, or from four to five feet, unlay one strand in each rope for half as

much again; place the middle strands together as at *A*, then the additional strands will appear as at *B* and *C*, and the spiral groove, left where they were unlaid, will appear as at *D* and *E*. Take off the two central strands, *F* and *G*, and lay them into

FIG. 108.—Eye splice.

the grooves, *D*, *E*, until they meet *B* and *C*, and be sure and keep them tightly twisted while so doing. Then take strands *H* and *J*, cut out half the yarns in each, make an overhand knot in them and tuck the ends under the next lays as in a short splice. Do the same with strands *B*, *C* and *F*, *G;* dividing, knotting, and sticking the divided strands in the same way. Finally stretch the rope

tight, pull and pound and roll the splice until smooth and round, and trim off all loose ends close to the rope.

An "Eye Splice" (Fig. 108) is very easy to make and is useful and handy in a great variety of ways. It is made in the same manner as the short splice, but instead of splicing the two ends together, the end of

FIG. 109.—Cut splice.

the rope is unlaid and then bent around and spliced into its own strands of the standing part, as shown in the illustration. A "Cut Splice" (Fig. 109) is made just as an eye splice or short splice, but instead of splicing two ropes together end to end, or splicing an end into a standing part, the ends are lapped and each is spliced into the standing part of the other, thus forming a loop or eye in the centre of a rope. Once the short

and long splices are mastered, all other splices, as well as many useful variations, will come easy. Oftentimes, for example, one strand of a rope may become worn, frayed, or broken, while the remaining strands are perfectly sound. In such cases the weak strand may be unlaid and cut off and then a new strand of the same length is laid up in the groove left by the old strand exactly as in a long splice; the ends are then tapered, stuck under the lay, as in a short splice, and the repair is complete; and if well done will never show and will be as strong as the original rope.

CHAPTER VII

Fancy Knots and Rope Work

The knots and splices described above are all more for practical use than ornament, although such shortenings as the Single and Double plaits, the Chain knots, the Twofold, Fourfold, and Sixfold knots, and others are often used for ornamental purposes only. A certain class of knots are, however, really ornamental and seldom serve to fasten two ropes together, or to make any object fast to another. They are, however, very useful in many ways, especially aboard ship, and they are so handsome and interesting that every one interested in rope work should learn to make them. The simplest of the fancy knots is known as the "Single Crown" (Fig. 110). To form this knot unlay the strands of a new, flexible rope for six to eight inches and whip the ends of each strand, as well as the standing part, to prevent further untwisting. Hold the rope in your left hand and fold one strand over

and away from you, as shown in *A*, Fig. 111. Then fold the next strand over *A* (see *B*, Fig. 111), and then, while holding these in place with thumb and finger, pass the strand *C* over strand *B*, and through the bight of *A* as shown in the illustration. Now pull

FIG. 110.—Single crown.



FIG. 111.—Single crown (making).

all ends tight and work the bights up smooth and snug; cut off ends and the knot is complete. This single crown is a very poor knot to stand by itself, however, and is mainly valuable as a basis for other more complicated knots and for ending up rope. To end up a rope with a crown it is merely necessary to leave the projecting ends long and then by bringing them down tuck under the strands of the standing part, as shown in Fig. 112. Then halve the strands and tuck

again, as in making a short splice, until the result appears as in Fig. 113. This makes a neat, handy, and ship-shape finish to a



FIG. 112.—Single crown tucked (making).

FIG. 113.—Single crown tucked (complete).

rope's end and is very useful for painters, halyards, etc. It will never work loose like a seizing and is quickly put on at any time,

FIG. 114.—Wall knot.

whereas to make a seizing one must be provided with small stuff of some sort, and this is frequently not at hand. The "Wall Knot" (Fig. 114) is almost as simple as the crown, and in fact is practically a

crown reversed. In making this knot bring *C* downward and across the standing part; then bring *A* over *C* and around standing part and finally bring *B* over *A* and up through bight of *C*, Fig. 115. When drawn snug the ends may be trimmed off close



FIG. 115.—Wall knot (making).

FIG. 116.—Wall knot (tucked).

or they may be tucked and tapered as in the crown and will then appear as in Fig. 116. As in the case of the crown knot, the wall is mainly of value as an ending when ends are tucked, or as a basis for more ornamental knots such as the "Wall and Crown," or "Double Wall," or "Double Crown." It is also very largely used in making "Shroud Knots" (Fig. 117). The common shroud knot is made by opening up the

strands of a rope's end as for a short splice and placing the two ends together in the same way. Then single "wall" the strands of one rope around the standing part of another against the lay, taper the ends, and

FIG. 117.—Shroud knot (complete).

FIG. 118.—Shroud knot (making).

tuck and serve all with yarn or marline (Fig. 118). The "French Shroud Knot" is far neater and better, but is a little harder to make. Open up the strands and place closely together as for the short splice; make a loop of strand *A*, pass the end of *B* through the bight of *A*, as at *C*, make a loop of strand *D*, and pass the end of strand *A* through it as at *D;* then pass the end of

strand *D* through the bight of strand *B* and one side is complete. Repeat the operation on the other side, draw all ends taut, and



FIG. 119.—French shroud knot (making).

FIG. 120.—French shroud knot (complete).

taper and tuck the ends. The whole should then be served carefully and the finished knot will appear as in Fig. 120.

Double wall and double crown as well as the beautiful double wall-and-crown knots are made exactly like the single

crown or wall but instead of trimming off or tucking the ends they are carried around a second time following the lay of

FIG. 121 *A*.—Making double crown.

FIG. 121 *B*.—Making double wall.

the first, as shown in Fig. 121, which shows the construction of a double crown at *A*,

FIG. 122.—Double crown (complete).

FIG. 123.—Double wall (complete).

and a double wall at *B*. When finished, the ends may be tucked or trimmed and the two knots will look like Figs. 122 and 123.

A far better effect is obtained by "Crowning" a wall knot. This is done by first making a single wall knot and then by bringing strand *A* up over the top and laying *B* across *A* and bringing *C* over *B* and through the bight of *A;* a crown knot is formed above the wall, as shown in Figs. 124 and 125. This is the foundation of the



FIG. 124.—Wall crowned (making).

FIG. 125.—Wall crowned (complete).

most beautiful of rope-end knots, known as the "Double Wall and Crown," or "Manrope Knot," illustrated in Fig. 126. Make your single wall and crown it, but leave the strands all slack; then pass the ends up and through the bights of the slack single-wall knot and then push them alongside the strands in the single crown; push-

ing them through the same bight in the crown and downward through the walling. This may seem quite difficult, but if you have learned the wall and crown you will find it simple enough, for it is really merely "following" the strands of the single wall and crown. The result, if properly done,

FIG. 126.—Double wall and crown.

FIG. 127.—Double wall and crown (complete).

and ends drawn tight and cut off closely, is surprising, and to the uninitiated most perplexing, for if the ends are tapered and tucked through the standing part of the ropes, as shown in Fig. 127, there will be no sign of a beginning or ending to this knot. This is probably the most useful of decorative knots and is largely used aboard ship for finishing the ends of rope railings, the ends of man-ropes, for the ends of yoke-

lines and to form "stoppers" or "toggles" to bucket handles, slings, etc. Its use in this way is illustrated in Figs. 128–130, which show how to make a handy topsail-halyard toggle from an eye splice turned in a short piece of rope and finished with a double wall and crown at the end. These toggles are very useful about small boats, as they may be used as stops for furling



FIG. 128 FIG. 129 FIG. 130

FIGS. 128, 129, and 130.—Topsail-halyard toggle.

sails, for slings around gaffs or spars, for hoisting, and in a variety of other ways which will at once suggest themselves to the boating man.

The most difficult of ending knots and one which you should certainly learn is the "Matthew Walker" (Fig. 131), also known as the "Stopper Knot." To form this

splendid knot, pass one strand around the standing part of the rope and through its



FIG. 131.—Matthew Walker (making)



FIG. 132.—Matthew Walker (complete but slack).

own bight, then pass *B* underneath and through bight of *A*, and through its own

bight also; next pass *C* underneath and around and through the bights of *A*, *B*, and its own bight. The knot will now appear as in Fig. 132, but by carefully hauling the ends around and working the bight taut a little at a time the knot will assume the appearance shown in Fig. 133. This is a handsome and useful knot and is widely

FIG. 133.—Matthew Walker (complete).

used on ends of ropes where they pass through holes, as for bucket handles, ropes for trap-door handles, chest handles, etc. The knot is well adapted for such purposes, as it is hard, close, and presents an almost flat shoulder on its lower side.

The "Turk's Head," Figs. 135 and 136, is a knot much used aboard yachts and warships and is so handsome and ornamental that it is a great favorite. It is used in

ornamenting rigging, in forming shoulders or rings on stays or ropes to hold other gear in place, to ornament yoke lines, and for forming slip-collars on knife lanyards. It is also used to form collars around stanchions or spars, and, placed around a rope close beneath a man-rope knot, it gives a beautiful finish. When made of small line sailors often use the Turk's Head as a neckerchief fastener. Although so elaborate in effect, it is really an easy knot to make, and while you may have difficulty in getting it right at first a little patience and practice will enable you to become proficient and capable of tying it rapidly and easily in any place or position. To make a Turk's Head, have a smooth, round stick, or other object, and some closely twisted or braided small line. Pass two turns of the line around the rod, *A*, Fig. 135, from left to right, and pass the upper bight down through the lower and reeve the upper end down through it, as at *B*. Then pass the bight up again and run the end over the lower bight and up between it and the upper bight. Turn the upper bight again through the lower one and pass the end over what is now the upper



FIG. 135.—Making Turk's head.

bight and between it and the lower, *C*, Fig. 135. Now work from left to right, following the lay of the knot (or, in other words, passing your long end alongside the first end), *D*, Fig. 135, until a braid of two or

FIG. 136.—Turks' heads.



FIG. 137.—Turk's cap.

more lays is completed, as shown in Fig. 136. The Turk's Head may be drawn as tight as desired around the rope, or rod, by working up the slack and drawing all bights taut. A variation of the knot may be formed by making the first part as described and then



FIG. 138.—Worming, parcelling, and serving.

by slipping the knot to the end of the rod; work one side tighter than the other until the "Head" forms a complete cap, as shown in Fig. 137. This makes a splendid finish for the ends of flagpoles, stanchions, etc.



FIG. 139.—Half-hitch work.



FIG. 140.—Half-hitch work.

Ropes that are to be used as hand-lines, stanchions, man-ropes, railings, or in fact wherever a neat appearance counts, are usually wormed, served, and parcelled. Worming consists in twisting a small line into the grooves between the strands of rope, *A*, Fig. 138. This fills up the grooves and makes the rope smooth and ready for serving or parcelling. Parcelling consists in covering the rope already wormed with a strip of canvas wound spirally around it

with the edges overlapping, *B*, Fig. 138. Serving is merely wrapping the rope with spun yarn, marline, or other small stuff, *C*, Fig. 138. Although this may all be done by hand, yet it can be accomplished far better by using a "Serving Mallet," shown in *D*, Fig. 138. This instrument enables



FIG. 141.—Four-strand braid (making).

you to work tighter and more evenly than by hand, but in either case you must have the rope to be served stretched tightly between two uprights. Often a rope is served without parcelling and for ordinary purposes parcelling is not required. A variation of serving is made by "half-hitch" work, as shown in Figs. 139–140. This is very pretty when well done and is very easy

to accomplish. Take a half-hitch around the rope to be served, then another below it; draw snug; take another half-hitch and so on until the object is covered and the series

FIG. 142.—Four-strand braid (complete).

of half-hitch knots forms a spiral twist, as shown in the illustrations. Bottles, jugs, ropes, stanchions, fenders, and numerous other articles may be covered with half-hitch work; and as you become more expert



FIG. 143.—Crown-braid.

you will be able to use several lines of half-hitches at the same time. Four-strand braiding is also highly ornamental and is easy and simple. The process is illustrated

in Fig. 141, and consists in crossing the opposite strands across and past one another, as shown in *A*, *B*, *C*, Fig 141. Still



FIG. 144.—Rope buckle.

more ornamental is the "Crown-braid" which appears, when finished, as in Fig. 143. The process of forming this braid is exactly



FIG. 145.—Swivels.

like ordinary crowning and does not require any description; it may be done with any number of strands, but four or six are usually

as many as the beginner cares to handle at one time.

When the rope-worker has mastered all the knots, ties, bends, hitches, and splices I

FIG. 146



FIG. 147

FIG. 148

FIGS. 146, 147, and 148.—Slings.

have described, he will find a new field open to the use of rope in innumerable ways. Barrels, casks, bales, or other objects may be roped, or slung, with ease and security; ropes will be pressed into service for straps

and belts; and buckles may be readily formed by the simple expedient shown in Fig. 144. If a swivel is required it can be arranged as shown in Fig. 145, while several simple slings are illustrated in Figs. 146–148. In a factory, or machine shop, rope belting will often prove far better than leather, and if well spliced together will run very smoothly and evenly even on long stretches. As a recreation for killing time aboard ship, or on rainy vacation days, few occupations will prove more enjoyable than tying fancy knots and making new splices and bends or inventing new variations of the numerous hitches, ties, and knots you already know.

Halters for Animals

Every now and then a temporary halter is needed for a horse, and in Fig. 149 such a halter is shown. This halter is made by putting the end of a long rope around the neck of the horse and then tying a common bow-line knot. (See Fig. 150.) Fig. 151 shows the second step to be followed, that of passing the rope around the animal's head twice, while Fig. 152 shows how



F.0.149 - Put a Loop over the Horse's Nose



FIG.151 - Follow this with a Second Loop



FIG.152 - Pass the Second Loop under the First



FIG.153 - The Second Loop should be Long



FIG.150 - The "Bowline" Knot



FIG.154 - It goes over the Forelock and Ears

the second loop is passed under the first. In Fig. 153 the rope is shown sufficiently long enough to enable it to be passed over the ears of the animal and leave the halter completed, as shown in Fig. 154.

INDEX

Artificial eye, 61 62, 63

Baggage, 56
Barrels, 47
Beams, 39
Belaying-pin, 66
Belaying-pin splice, 65, 66, 67
Belting, 98
Bends, 7, 17
Bight, 17, 18
Billet, 30
Blackwall hitch, 37, 38
Blocks, 59, 71
Bolt-rope, 14
Bow-knots, 35
Bow-line, 44, 46
Bow-line on bight, 47
Bow shortening, 56
Boxes, 59
Bridles, 53
Builders' hitch, 33, 34
Builders' knot, 6
Bundles, 35, 36
Butchers' knots, 6

Cable, 13, 14
Casks, 47
Catspaws, 36, 37
Chain hitch, 38, 39
Chain knots, 51, 77
Chests, 58, 59
Cleat, 44
Cleat tie, 45
Clinches, 19, 64
Close band, 65, 68
Clove hitch, 32, 33, 34, 37, 39, 43
Cordage, 13
Core, 14
Cotton, 13
Cotton rope, 16
Crown braid, 95, 96
Crowning, 84
Crown knots, 77, 78, 79, 80, 82, 83, 84, 85
Cuckolds' necks, 19, 31, 64
Cut splice, 75

Deadeye lashing, 65, 66
Deadeyes, 65
Dogshanks, 56
Double chain, 52
Double crown, 80, 82, 83
Double figure-eight, 26
Double knots, 50
Double plait, 77
Double wall, 80, 82, 83
Double wall and crown, 82, 84, 85

End, 17, 18
Ending, 70

Ending rope, 70
End pointing, 65, 68
Eyes, 61, 67
Eye splice, 74, 75, 80

Fancy knots, 77
Fibres, 13
Fid, 17
Figure-eight knot, 20, 26
Fisherman's hitch, 40, 41, 42
Fisherman's knot, 6, 23, 24
Fivefold knot, 51
Flemish eye, 61, 62, 68
Fourfold knot, 50, 77
Four-strand braid, 95
Four-stranded rope, 14
French shroud knot, 81, 82

Gaff-topsail halyard bend, 41, 42
Garrick bend, 27, 28, 29
Gordian knot, 4
Granny knot, 21
Grass, 16
Grommets, 50, 57, 58, 59, 62
Gunners' knot, 33
Gut lines, 23

Half-hitch, 31, 32, 33, 34, 38, 41, 67
Half-hitch and seizing, 29
Half-hitch work, 93, 94
Handcuff kings, 48
Handcuffs, 49
Handles, 58, 59
Handspike, 39
Hawser hitch, 28
Hawsers, 41
Hemp, 13
Hemp rope, 16
History of rope, 3
Hitches, 7, 30
Hooks, 36, 39

Introduction, 3

Jute, 13, 16

Lanyards, 67
Larks' heads, 30, 31, 43, 44
Lashed cut splice, 64
Lashings, 65, 66
Laying up, 58
Leather braid, 53, 54, 55
Left-handed rope, 14
Long splice, 73
Loop lashings, 66
Loop knots, 48
Loops, 19, 43, 47, 50, 67

Magnus hitch, 39
Manacles, 48
Manila rope, 16
Manrope knot, 84
Marline, 59, 60, 61
Marline spike, 17, 30, 72
Marline-spike seamanship, 45
Matthew Walker knot, 86, 87, 88
Midshipmen's hitch, 40, 41
Monkey chain, 52, 53
Mooring knots, 43

Necklace tie, 65, 67
Nettles, 69
Nooses, 43

Open chain, 54
Open-hand knot, 22
Ordinary knot, 24
Overhand knot, 20, 50, 58

Packages, 35
Parcelling, 92, 93
Parts of rope, 18
Pier bend, 43
Pointed rope, 70
Pointing, 68, 69

Quoits, 58

Reef knot, 21, 22
Reefing knots, 20
Repairing rope, 76
Rigging, 65
Right-hand rope, 14
Rings, 19, 39, 41, 58, 59, 64
Roband hitch, 40
Rolling hitch, 39
Rope, 13, 14
Rope buckles, 96
Rose lashing, 65, 66
Round turn, 41
Running bow-line, 46
Running knot, 48
Running noose, 43, 44

Sailors' knots, 6, 44, 45
Seized shortening, 55
Seizing, 17, 65, 67
Selvagee, 50, 59
Selvagee board, 60
Selvagee strap, 60
Serving, 92, 94
Serving mallet, 92, 94
Sevagee, 59
Sheaves, 70
Sheepshanks, 56, 57, 58
Shortenings, 50
Short splice, 71, 73, 75
Shroud knots, 80, 81, 82
Silk, 16
Simple hitch, 28
Simple knots, 17, 35
Single plait, 51, 52, 53, 77
Sinkers, 23
Sisal flax, 16
Sixfold knot, 50, 77
Slings, 97, 98
Slip knots, 47
Slippery hitch, 31, 32
Snaking, 69
Spars, 34, 41, 60
Spiles, 33, 43, 44
Splices, 65, 71, 72, 75
Splicing, 70
Square knots, 20, 21, 22, 68
Standing part, 17, 18
Stopper knot, 87
Stoppers, 86
Stops, 61
Strands, 13
Straps, 59
Strength of rope, 15
String, 13
Studding-sail bend, 39, 40

Swivels, 96, 98

Tackle, 39
Threefold knot, 51
Throat seizing, 62, 63
Ties, 30
Timber, 38, 67
Timber hitch, 33, 35, 69
Toggles, 31, 57, 58, 67, 86
Tomfool knot, 47, 49
Topsail-halyard toggle, 86
Treble knot, 50
Turks' caps, 90, 93
Turks' heads, 88, 89, 90, 91
Twine, 13
Twist braid, 54
Twist knot, 77
Twist shortening, 51
Twists, 36, 52

Wall and crown, 80
Wall crowned, 84
Wall knots, 79, 80
Warp, 69
Waterman's knot, 43, 44
Weaver's knot, 6, 25, 26
Wedding knot, 65
Weight of rope, 15
Wharf tie, 45
Whipping, 17, 18, 65
Wind knots, 5
Wire rope, 16
Worming, 92, 93

Yarn, 13, 59, 60

CATALOGUE

OF

Latest and Best

Mechanical, Scientific and Practical Books

PRACTICAL BOOKS FOR PRACTICAL MEN

Any of these books will be sent prepaid to any part of the world, on receipt of price. Remit by Draft, Postal Order, Express Order or Registered Letter.

PUBLISHED AND FOR SALE BY

The Norman W. Henley Publishing Co.

132 Nassau St., New York, U. S. A.

INDEX TO SUBJECTS

Automobiles 3, 4, 5
Automobile Charts 4, 5
Balloons 4
Brazing and Soldering 5
Cams 15
Charts 4, 5, 6
Chemistry 26
Compressed Air 6
Concrete 6, 7, 8
Dictionaries 9
Dies—Metal Work 8, 9
Drawing—Sketching Paper 9
Electricity 10, 11, 12, 13
Enameling 13
Factory Management, etc. 13
Fuel 13
Flying Machines 4
Gas Engines and Gas 14, 15
Gearing and Cams 15
Hydraulics 16
Ice and Refrigeration 16
Inventions—Patents 16
Knots 16
Lathe Work 17
Liquid Air 17
Locomotive Engineering 18, 19, 20
Machine Shop Practice 20, 21, 22, 23
Manual Training 24
Marine Engineering 23, 24
Mechanical Movements 22
Metal Work-Dies 8, 9
Mining 24
Motor Cycles 4
Patents and Inventions 16
Pattern Making 25
Perfumery 25
Plumbing 26
Receipt Book 26
Refrigeration and Ice 16
Rubber 27
Saws 27
Screw Cutting 28
Sheet Metal Work 8
Soldering 4
Steam Engineering 28, 29
Steam Heating and Ventilation 30
Steam Pipes 29
Steel 30
Tractor 31
Turbines 31
Welding 31
Wireless Telephones 13

☞ **Any of these books will be sent prepaid to any part of the world, on receipt of price.**

REMIT by Draft, Postal Money Order, Express Money Order, or by Registered Mail.

MODERN GASOLINE AUTOMOBILE, ITS DESIGN, CONSTRUCTION AND REPAIR. By VICTOR W. PAGÉ. The most complete, practical and up-to-date treatise on gasoline automobiles, explaining fully all principles pertaining to gasoline automobiles and their component parts. It contains the latest and most reliable information on all phases of automobile construction, operation, maintenance and repair. 1917 Edition just published. 5½ x 7¼. Cloth, 850 pages, 600 illustrations, 12 folding plates.
Price $2.50

QUESTIONS AND ANSWERS RELATING TO MODERN AUTOMOBILE CONSTRUCTION, DRIVING AND REPAIR. By VICTOR W. PAGÉ. A practical self-instructor for students, mechanics and motorists, consisting of thirty-seven lessons in the form of questions and answers, written with special reference to the requirements of the non-technical reader desiring easily understood explanatory matter relating to all branches of automobiling. A popular work at a popular price. 5¼ x 7½. Cloth, 650 pages, 392 illustrations, 3 folding plates. 1917 Edition just published. **Price, $1.50**

AUTOMOBILE REPAIRING MADE EASY. By VICTOR W. PAGÉ. A thoroughly practical book containing complete directions for making repairs to all parts of the motor car mechanism. Written in a thorough but non-technical manner. This book contains special instructions on Tire repairing and rebuilding. Latest timing practice. Eight- and twelve-cylinder motors, etc., etc. You will never "get stuck" on a job if you own this book. 1,000 specially made engravings on 500 plates. 1,056 pages (5½ x 8). 11 folding plates. 1917 Edition. **Price, $3.00**

STARTING, LIGHTING AND IGNITION SYSTEMS. By VICTOR W. PAGÉ. A practical treatise on modern starting and ignition system practice. Includes a complete exposition of storage battery construction, care and repair. Explains all types of starting motors—generators—magnetos and all ignition or lighting system units. Nothing has been omitted, no details have been slighted. Nearly 500 pages. 297 specially made engravings. 1917 Edition.
Price, $1.50

THE MODEL T FORD CAR, ITS CONSTRUCTION, OPERATION AND REPAIR. By VICTOR W. PAGÉ. This is a complete instruction book. All parts of the Ford Model T Car are described and illustrated; the construction is fully described and operating principles made clear to everyone. Every Ford owner needs this practical book. 1917 Edition. 75 illustrations, 300 pages, 2 large folding plates. **Price, $1.00**

HOW TO RUN AN AUTOMOBILE. By VICTOR W. PAGÉ. This treatise gives concise instructions for starting and running all makes of gasoline automobiles, how to care for them, and gives distinctive features of control. Describes every step for shifting gears, controlling engine, etc. Thoroughly illustrated. **Price, $1.00**

AUTOMOBILE WELDING WITH THE OXY-ACETYLENE FLAME. By M. Keith Dunham. Explains in a simple manner apparatus to be used, its care, and how to construct necessary shop equipment. Proceeds then to the actual welding of all automobile parts, in a manner understandable by everyone. *Gives principles never to be forgotten.* Aluminum, cast iron, steel, copper, brass, bronze and malleable iron are fully treated, as well as a clear explanation of the proper manner to burn the carbon out of the combustion head. This book is of utmost value, since the perplexing problems arising when metal is heated to a melting point are fully explained and the proper methods to overcome them shown. 167 pages, fully illustrated.
Price, $1.00

THE AUTOMOBILIST'S POCKET COMPANION AND EXPENSE RECORD. By Victor W. Pagé. This book is not only valuable as a convenient cost record but contains much information of value to motorists. Includes a condensed digest of auto laws of all States, a lubrication schedule, hints for care of storage battery and care of tires, location of road troubles, anti-freezing solutions, horsepower table, driving hints and many useful tables and recipes of interest to all motorists. Not a technical book in any sense of the word, just a collection of practical facts in simple language for the everyday motorist. Convenient pocket size.
Price, $1.00

MOTORCYCLES, SIDE CARS AND CYCLE-CARS, THEIR CONSTRUCTION, MANAGEMENT AND REPAIR. By Victor W. Pagé. Describes fully all leading types of machines, their design, construction, maintenance, operation and repair. 550 pages. 350 specially made illustrations, 5 folding plates. **Price, $1.50**

AUTOMOBILE CHARTS

LOCATION OF GASOLINE ENGINE TROUBLES MADE EASY. This chart shows clearly all parts of a typical four-cylinder gasoline engine of the four-cycle type. It simplifies location of all engine troubles. No details omitted. Size 25 x 38 inches. Securely mailed on receipt of
Price, 25 cents

LOCATION OF CARBURETION TROUBLES MADE EASY. It shows clearly how to find carburetion troubles and names all defects liable to exist in the various parts. Instructions are given for carburetor adjustment. Size 24 x 38 inches **Price, 25 cents**

LOCATION OF IGNITION SYSTEM TROUBLES MADE EASY. In this chart all parts of a typical double ignition system using battery and magneto current are shown, and suggestions are given for readily finding ignition troubles and eliminating them when found. Size 24 x 38 inches.
Price, 25 cents

LOCATION OF ENGINE COOLING AND LUBRICATING TROUBLES MADE EASY. This is a combination chart showing all components of the approved form of water cooling group as well as a modern engine lubrication system. It shows all points where defects exist that may result in engine overheating, both in cooling and oiling systems. Size 24 x 38 inches. **Price, 25 cents**

LOCATION OF FORD ENGINE TROUBLES MADE EASY. Chart shows clear sectional views depicting all portions of the Ford power plant and auxiliary groups. It outlines clearly all parts of the engine, fuel supply system, ignition group and cooling system, that are apt to give trouble, detailing all derangements that are liable to make an engine lose power, start hard or work irregularly. This chart simplifies location of all engine faults. Size 25 x 38 inches. **Price, 25 cents**

LUBRICATION OF THE MOTOR CAR CHASSIS. This chart presents the plan view of a typical six-cylinder chassis of standard design and outlines all important bearing points requiring lubrication, and is a valuable guide to the correct lubrication of any modern car. A practical chart for all interested in motor car maintenance. Size 24 x 38 inches. **Price, 25 cents**

LOCATION OF MOTOR CYCLE TROUBLES MADE EASY. This chart simplifies location of all power plant troubles and will prove of value to all who have to do with the operation, repair or sale of motorcycles. No details omitted. Size 30 x 20 inches. **Price, 25 cents**

BRAZING AND SOLDERING

BRAZING AND SOLDERING. By JAMES F. HOBART. The only book that shows you just how to handle any job of brazing or soldering that comes along; it tells you what mixture to use, how to make a furnace if you need one. Full of valuable kinks. The fifth edition of this book has just been published, and to it much new matter and a large number of tested formulas for all kinds of solders and fluxes have been added. Illustrated. **25 cents**

CHARTS

MODERN SUBMARINE CHART—WITH 200 PARTS NUMBERED AND NAMED. A cross-section view, showing clearly and distinctly all the interior of a submarine of the latest type. No details omitted—everything is accurate and to scale. This chart is really an encyclopedia of a submarine. **Price, 25 cents**

BOX CAR CHART. A chart showing the anatomy of a box car, having every part of the car numbered and its proper name given in a reference list. **Price, 25 cents**

GONDOLA CAR CHART. A chart showing the anatomy of a gondola car, having every part of the car numbered and its proper reference name given in a reference list. **Price, 25 cents**

PASSENGER CAR CHART. A chart showing the anatomy of a passenger car, having every part of the car numbered and its proper name given in a reference list. **Price, 25 cents**

STEEL HOPPER BOTTOM COAL CAR. A chart showing the anatomy of a steel hopper bottom coal car, having every part of the car numbered and its proper name given in a reference list. **Price, 25 cents**

TRACTIVE POWER CHART. A chart whereby you can find the tractive power or drawbar pull of any locomotive without making a figure. Shows what cylinders are equal, how driving wheels and steam pressure affect the power. What sized engine you need to exert a given drawbar pull or anything you desire in this line. **50 cents**

HORSE POWER CHART. Shows the horse power of any stationary engine without calculation. No matter what the cylinder diameter of stroke, the steam pressure or cut-off, the revolutions, or whether condensing or non-condensing, it's all there. Easy to use, accurate and saves time and calculations. Especially useful to engineers and designers. **Price, 50 cents**

BOILER ROOM CHART. By GEO. L. FOWLER. A chart—size 14 x 28 inches—showing in isometric perspective the mechanisms belonging in a modern boiler room. This chart is really a dictionary of the boiler room—the names of more than 200 parts being given. **Price, 25 cents**

COMPRESSED AIR

COMPRESSED AIR IN ALL ITS APPLICATIONS. By GARDNER D. HISCOX. This is the most complete book on the subject of air that has ever been issued, and its thirty-five chapters include about every phase of the subject one can think of. It may be called an encyclopedia of compressed air. It is written by an expert, who, in its 665 pages, has dealt with the subject in a comprehensive manner, no phase of it being omitted. Over 500 illustrations. Fifth Edition, revised and enlarged. Cloth bound, **$5.00.** Half Morocco, **Price, $6.50**

This is the standard work on this important subject.

CONCRETE

CONCRETE WALL FORMS. By A. A. HOUGHTON. A new automatic wall clamp is illustrated with working drawings. Other types of wall forms, clamps, separators, etc., are also illustrated and explained. **Price, 50 cents**

CONCRETE FLOORS AND SIDEWALKS. By A. A. HOUGHTON. The molds for molding squares, hexagonal and many other styles of mosaic floor and sidewalk blocks are fully illustrated and explained. **Price, 50 cents**

PRACTICAL CONCRETE SILO CONSTRUCTION. By A. A. HOUGHTON. Complete working drawings and specifications are given for several styles of concrete silos, with illustrations of molds for monolithic and block silos. The tables, data, and information presented in this book are of the utmost value in planning and constructing all forms of concrete silos. **Price, 50 cents**

MOLDING CONCRETE BATH TUBS, AQUARIUMS AND NATATORIUMS. By A. A. Houghton. Simple molds and instruction are given for molding different styles of concrete bath tubs, swimming pools, etc.
Price, 50 cents

MOLDING CONCRETE CHIMNEYS, SLATE AND ROOF TILES. By A. A. Houghton. The manufacture of all types of concrete slate and roof tile is fully treated. Valuable data on all forms of reinforced concrete roofs are contained within its pages. The construction of concrete chimneys by block and monolithic systems is fully illustrated and described. A number of ornamental designs of chimney construction with molds are shown in this valuable treatise. **Price, 50 cents**

MOLDING AND CURING ORNAMENTAL CONCRETE. By A. A. Houghton. The proper proportions of cement and aggregates for various finishes, also the methods of thoroughly mixing and placing in the molds, are fully treated. An exhaustive treatise on this subject that every concrete worker will find of daily use and value.
Price, 50 cents

CONCRETE MONUMENTS, MAUSOLEUMS AND BURIAL VAULTS. By A. A. Houghton. The molding of concrete monuments to imitate the most expensive cut stone is explained in this treatise, with working drawings of easily built molds. Cutting inscriptions and designs is also fully treated. **Price, 50 cents**

CONCRETE BRIDGES, CULVERTS AND SEWERS. By A. A. Houghton. A number of ornamental concrete bridges with illustrations of molds are given. A collapsible center or core for bridges, culverts and sewers is fully illustrated with detailed instructions for building.
Price, 50 cents

CONSTRUCTING CONCRETE PORCHES. By A. A. Houghton. A number of designs with working drawings of molds are fully explained so any one can easily construct different styles of ornamental concrete porches without the purchase of expensive molds. **Price, 50 cents**

MOLDING CONCRETE FLOWER POTS, BOXES, JARDINIERES, ETC. By A. A. Houghton. The molds for producing many original designs of flower pots, urns, flower boxes, jardinieres, etc., are fully illustrated and explained. so the worker can easily construct and operate same. **Price, 50 cents**

MOLDING CONCRETE FOUNTAINS AND LAWN ORNAMENTS. By A. A. Houghton. The molding of a number of designs of lawn seats, curbing, hitching posts, pergolas, sun dials and other forms of ornamental concrete, for the ornamentation of lawns and gardens, is fully illustrated and described. **Price, 50 cents**

CONCRETE ON THE FARM AND IN THE SHOP. By H. Colvin Campbell. This is a new book from cover to cover, illustrating and describing in plain, simple language many of the numerous appliances of concrete within the range of the home worker. 150 pages, 51 illustrations. **Price, 75 cents**

CONCRETE FROM SAND MOLDS. By A. A. Houghton. A practical work treating on a process which has heretofore been held as a trade secret by the few who possessed it, and which will successfully mold every and any class of ornamental concrete work. The process of molding concrete with sand molds is of the utmost practical value, possessing the manifold advantages of a low cost of molds, the ease and rapidity of operation, perfect details to all ornamental designs, density and increased strength of the concrete, perfect curing of the work without attention and the easy removal of the molds regardless of any undercutting the design may have. 192 pages. Fully illustrated. Cloth.
Price, $2.00

ORNAMENTAL CONCRETE WITHOUT MOLDS. By A. A. Houghton. The process for making ornamental concrete without molds has long been held as a secret, and now, for the first time, this process is given to the public. The book reveals the secret and is the only book published which explains a simple, practical method whereby the concrete worker is enabled, by employing wood and metal templates of different designs, to mold or model in concrete any cornice, archivolt, column, pedestal, base cap, urn or pier in a monolithic form—right upon the job. These may be molded in units or blocks, and then built up to suit the specifications demanded. This work is fully illustrated, with detailed engravings. Cloth.
Price, $2.00

POPULAR HANDBOOK FOR CEMENT AND CONCRETE USERS. By Myron H. Lewis. Everything of value to the concrete user is contained, including kinds of cement employed in construction, concrete architecture, inspection and testing, waterproofing, coloring and painting, rules, tables, working and cost data. The book comprises thirty-three chapters. A valuable addition to the library of every cement and concrete user. Cloth, 430 pages, 126 illustrations. **Price, $2.50**

WATERPROOFING CONCRETE. By Myron H. Lewis. Modern methods of waterproofing concrete and other structures. A condensed statement of the principles, rules and precautions to be observed in waterproofing and dampproofing structures and structural materials. Paper binding. Illustrated. Second Edition. **Price, 50 cents**

DIES—METAL WORK

PUNCHES, DIES AND TOOLS FOR MANUFACTURING IN PRESSES. By J. V. Woodworth. An encyclopedia of die-making, punch-making, die-sinking, sheet-metal working, and making of special tools, subpresses, devices and mechanical combinations for punching, cutting, bending, forming, piercing, drawing, compressing, and assembling sheet-metal parts and also articles of other materials in machine tools. This is a distinct work from the author's book entitled "Dies; Their Construction and Use." 500 pages, 700 engravings. Second edition. Cloth.
Price, $4.00

DIES, THEIR CONSTRUCTION AND USE FOR THE MODERN WORKING OF SHEET METALS. By J. V. Woodworth. A new book by a practical man, for those who wish to know the latest practice in the working of sheet metals. It shows how dies are designed, made and used, and those who are engaged in this line of work can secure many valuable suggestions. Fifth edition. 505 illustrations, 384 pages. Cloth. **Price, $3.00**

DROP FORGING, DIE-SINKING AND MACHINE-FORMING OF STEEL. By J. V. Woodworth. The processes of die-sinking and force-making, which are thoroughly described and illustrated in this admirable work, are rarely to be found explained in such a clear and concise manner as is here set forth. The process of die-sinking relates to the engraving or sinking of the female or lower dies, such as are used for drop forgings, hot and cold machine forging, swedging and the press working of metals. The process of force-making relates to the engraving or raising of the male or upper dies used in producing the lower dies for the press-forming and machine-forging of duplicate parts of metal. The book contains eleven chapters, and the information contained in these chapters is just what will prove most valuable to the forged-metal worker. All operations described in the work are thoroughly illustrated by means of perspective half-tones and outline sketches of the machinery employed. 300 detailed illustrations. 339 pages, cloth. **Price, $2.50**

DICTIONARIES

STANDARD ELECTRICAL DICTIONARY. By T. O'Conor Sloane. A practical handbook of reference containing definitions of about 5,000 distinct words, terms and phrases. The definitions are terse and concise and include every term used in electrical science. Recently issued. Twelfth Edition. 682 pages, 393 illustrations. **Price, $3.00**

DRAWING — SKETCHING PAPER

LINEAR PERSPECTIVE SELF-TAUGHT. By Herman T. C. Kraus. This work gives the theory and practice of linear perspective, as used in architectural, engineering and mechanical drawings. The arrangement of the book is good; the plate is on the left-hand, while the descriptive text follows on the opposite page, so as to be readily referred to. The drawings are on sufficiently large scale to show the work clearly and are plainly figured. The whole work makes a very complete course on perspective drawing. Cloth. **Price, $2.50**

SELF-TAUGHT MECHANICAL DRAWING AND ELEMENTARY MACHINE DESIGN. By F. L. Sylvester, M.E., Draftsman, with additions by Erik Oberg, associate editor of "Machinery." A practical elementary treatise on Mechanical Drawing and Machine Design, comprising the first principles of geometric and mechanical drawing, workshop mathematics, mechanics, strength of materials and the calculation and design of machine details, compiled for the use of practical mechanics and young draftsmen. 330 pages, 215 engravings, cloth. **Price, $2.00**

A NEW SKETCHING PAPER. A new specially ruled paper to enable you to make sketches or drawings in isometric perspective without any figuring or fussing. It is being used for shop details as well as for assembly drawings, as it makes one sketch do the work of three, and no workman can help seeing just what is wanted. Pads of 40 sheets,

6 x 9 inches, **Price, 25 cents**
9 x 12 inches, **Price, 50 cents**
12 x 18 inches, **Price, $1.00**

PRACTICAL PERSPECTIVE. By RICHARDS and COLVIN. Shows just how to make all kinds of mechanical drawings in the only practical perspective isometric. Makes everything plain so that any mechanic can understand a sketch or drawing in this way. Saves time in the drawing room and mistakes in the shops. Contains practical examples of various classes of work. Third edition. Limp cloth. **Price, 50 cents**

ELECTRICITY

ARITHMETIC OF ELECTRICITY. By PROF. T. O'CONOR SLOANE. A practical treatise on electrical calculations of all kinds reduced to a series of rules, all of the simplest forms, and involving only ordinary arithmetic; each rule illustrated by one or more practical problems with detailed solution of each one. This book is classed among the most useful works published on the science of electricity, covering as it does the mathematics of electricity in a manner that will attract the attention of those who are not familiar with algebraical formulas. 160 pages. Twenty-first edition. Cloth. **Price, $1.00**

DYNAMO BUILDING FOR AMATEURS, OR HOW TO CONSTRUCT A FIFTY WATT DYNAMO. By ARTHUR J. WEED. A practical treatise showing in detail the construction of a small dynamo or motor, the entire machine work of which can be done on a small foot lathe. Dimensioned working drawings are given for each piece of machine work, and each operation is clearly described. This machine, when used as a dynamo, has an output of fifty watts; when used as a motor it will drive a small drill press or lathe. It can be used to drive a sewing machine on any and all ordinary work. The book is illustrated with more than sixty original engravings showing the actual construction of the different parts.

Price, paper binding, 50 cents; Cloth, $1.00

ELECTRIC WIRING, DIAGRAMS AND SWITCHBOARDS. By NEWTON HARRISON. This is the only complete work issued showing and telling you what you should know about direct and alternating current wiring. It is a ready reference. The work is free from advanced technicalities and mathematics, arithmetic being used throughout. It is in every respect a handy, well-written, instructive, comprehensive volume on wiring for the wireman, foreman, contractor or electrician. 272 pages, 105 illustrations. Cloth.

Price, $1.50

COMMUTATOR CONSTRUCTION. By Wm. Baxter, Jr. The business end of any dynamo or motor of the direct current type is the commutator. This book goes into the designing, building and maintenance of commutators, shows how to locate troubles and how to remedy them; everyone who fusses with dynamos needs this. Fourth edition. **Price, 25 cents**

STORAGE BATTERIES SIMPLIFIED. By Victor W. Page. Tells how to charge, care for and rebuild storage batteries, also outlines all the industrial uses. Tells how they run street cars, locomotives and factory trucks. The important functions they perform in submarine boats, isolated lighting plants, railway switch and signal systems, marine applications, etc. Tells how they are used for starting automobile motors and in ignition systems. Every practical use of the modern storage battery is treated. **Price, $1.50**

ELECTRIC LIGHTING AND HEATING POCKET BOOK. By Sydney F. Walker. This book puts in convenient form useful information regarding the apparatus which is likely to be attached to the mains of an electrical company. Tables of units and equivalents are included and useful electrical laws and formulas are stated. 438 pages, 300 engravings. Bound in leather. Pocket book form. **Price, $3.00**

ELECTRIC TOY MAKING, DYNAMO BUILDING, AND ELECTRIC MOTOR CONSTRUCTION. This work treats of the making at home of electrical toys, electrical apparatus, motors, dynamos and instruments in general, and is designed to bring within the reach of young and old the manufacture of genuine and useful electrical appliances. 210 pages, cloth. Fully illustrated. Twentieth edition, enlarged. **Price, $1.00**

PRACTICAL ELECTRICITY. By Prof. T. O'Conor Sloane. This work of 768 pages was previously known as Sloane's Electricians' Hand Book, and is intended for the practical electrician who has to make things go. The entire field of electricity is covered within its pages. It contains no useless theory; everything is to the point. It teaches you just what you should know about electricity. It is the standard work published on the subject. Forty-one chapters, 610 engravings, 761 pages, handsomely bound in cloth. Third edition. **Price, $2.50**

ELECTRICITY SIMPLIFIED. By Prof. T. O'Conor Sloane. The object of "Electricity Simplified" is to make the subject as plain as possible and to show what the modern conception of electricity is; to show how two plates of different metals immersed in acid can send a message around the globe; to explain how a bundle of copper wire rotated by a steam engine can be the agent in lighting our streets, to tell what the volt, ohm and ampere are, and what high and low tension mean; and to answer the questions that perpetually arise in the mind in this age of electricity. 172 pages. Illustrated. Thirteenth edition. Cloth. **Price, $1.00**

HOUSE WIRING. By THOMAS W. POPPE. Describing and illustrating up-to-date methods of installing electric light wiring. Intended for the electrician, helper and apprentice. Contains just the information needed for successful wiring of a building. Fully illustrated with diagrams and plans. It solves all wiring problems and contains nothing that conflicts with the rulings of the National Board of Fire Underwriters. It gives just the information essential to the successful wiring of a building. 125 pages, fully illustrated, flexible cloth. **Price, 50 cents**

MANAGEMENT OF DYNAMOS. By LUMMIS-PATERSON. A handbook of theory and practice. This work is arranged in three parts. The first part covers the elementary theory of the dynamo. The second part, the construction and action of the different classes of dynamos in common use are described; while the third part relates to such matters as affect the practical management and working of dynamos and motors. Fourth edition. 292 pages, 117 illustrations. **Price, $1.50**

ELECTRICITY IN FACTORIES AND WORKSHOPS. Its cost and convenience. A handy book for power producers and power users. By ARTHUR P. HASLAM. 5½ x 8. Cloth, 312 pages, 70 illustrations. **Price, $2.50**

HOW TO BECOME A SUCCESSFUL ELECTRICIAN. By PROF. T. O'CONOR SLOANE. An interesting book from cover to cover. Telling in simplest language the surest and easiest way to become a successful electrician. The studies to be followed, methods of work, field of operation and the requirements of the successful electrician are pointed out and fully explained. 202 pages. Illustrated. Eighteenth revised edition. Cloth. **Price, $1.00**

STANDARD ELECTRICAL DICTIONARY. By PROF. T. O'CONOR SLOANE. A practical handbook of reference containing definitions of about 5,000 distinct words, terms and phrases. The definitions are terse and concise and include every term used in electrical science. Twelfth edition. 682 pages, 393 illustrations. **Price, $3.00**

SWITCHBOARDS. By WILLIAM BAXTER, JR. This book appeals to every engineer and electrician who wants to know the practical side of things. All sorts and conditions of dynamos, connections and circuits are shown by diagram and illustrate just how the switchboard should be connected. Includes direct and alternating current boards, also those for arc lighting, incandescent and power circuits. Special treatment on high voltage boards for power transmission. Second edition. 190 pages. Illustrated. **Price, $1.50**

TELEPHONE CONSTRUCTION, INSTALLATION, WIRING, OPERATION AND MAINTENANCE. By W. H. RADCLIFFE and H. C. CUSHING. This book gives the principles of construction and operation of both the Bell and Independent instruments; approved methods of installing and wiring them; the means of protecting them from lighting and abnormal currents; their connection together for operation as series or bridging stations; and rules for their inspection and maintenance. Line wiring and the wiring and operation of special telephone systems are also treated. 224 pages, 132 illustrations. Second revised edition. **Price, $1.00**

WIRELESS TELEGRAPHY AND TELEPHONY SIMPLY EXPLAINED. By Alfred P. Morgan. This is undoubtedly one of the most complete and comprehensible treatises on the subject ever published, and a close study of its pages will enable one to master all the details of the wireless transmission of messages. The author has filled a long felt want and has succeeded in furnishing a lucid, comprehensible explanation in simple language of the theory and practice of wireless telegraphy and telephony. 154 pages, 156 engravings. **Price, $1.00**

WIRING A HOUSE. By Herbert Pratt. Shows a house already built; tells just how to start about wiring it; where to begin; what wire to use; how to run it according to insurance rules; in fact, just the information you need. Directions apply equally to a shop. Fourth edition. **Price, 25 cents**

ENAMELING

HENLEY'S TWENTIETH CENTURY RECEIPT BOOK. Edited by Gardner D. Hiscox. A work of 10,000 practical receipts, including enameling receipts for hollow ware, for metals, for signs, for china and porcelain, for wood, etc. Thorough and practical. 1914 edition. **Price, $3.00**

FACTORY MANAGEMENT, ETC.

MODERN MACHINE SHOP CONSTRUCTION, EQUIPMENT AND MANAGEMENT. By O. E. Perrigo, M.E. A work designed for the practical and everyday use of the architect who designs, the manufacturers who build, the engineers who plan and equip, the superintendents who organize and direct, and for the information of every stockholder, director, officer, accountant, clerk, superintendent, foreman and workman of the modern machine shop and manufacturing plant of Industrial America. **Price, $5.00**

FUEL

COMBUSTION OF COAL AND THE PREVENTION OF SMOKE. By Wm. M. Barr. This book has been prepared with special reference to the generation of heat by the combustion of the common fuels found in the United States, and deals particularly with the conditions necessary to the economic and smokeless combustion of bituminous coals in stationary and locomotive steam boilers. The presentation of this important subject is systematic and progressive. The arrangement of the book is in a series of practical questions to which are appended accurate answers, which describe in language, free from technicalities, the several processes involved in the furnace combustion of American fuels; it clearly states the essential requisites for perfect combustion, and points out the best methods for furnace construction for obtaining the greatest quantity of heat from any given quality of coal. Nearly 350 pages, fully illustrated. Fifth edition. **Price, $1.00**

SMOKE PREVENTION AND FUEL ECONOMY. By Booth and Kershaw. As the title indicates, this book of 197 pages and 75 illustrations deals with the problem of complete combustion, which it treats from the chemical and mechanical standpoints, besides pointing out the economical and humanitarian aspects of the question. **Price, $2.50**

GAS ENGINE CONSTRUCTION, Or How to Build a Half-Horse-power Gas Engine. By PARSELL and WEED. A practical treatise describing the theory and principles of the action of gas engines of various types, and the design and construction of a half-horse-power gas engine, with illustrations of the work in actual progress, together with dimensioned working drawings giving clearly the sizes of the various details. 300 pages. Third edition. Cloth. Price, **$2.50**

CHEMISTRY OF GAS MANUFACTURE. By H. M. ROYLES. This book covers points likely to arise in the ordinary course of the duties of the engineer or manager of a gas works not large enough to necessitate the employment of a separate chemical staff. It treats of the testing of the raw materials employed in the manufacture of illuminating coal gas and of the gas produced. The preparation of standard solutions is given as well as the chemical and physical examination of gas coal. 5¼ x 8¼. Cloth, 328 pages, 82 illustrations, 1 colored plate. **Price, $4.50**

THE GASOLINE ENGINE ON THE FARM: ITS OPERATION, REPAIR AND USES. By XENO W. PUTNAM. A useful and practical treatise on the modern gasoline and kerosene engine, its construction, management, repair and the many uses to which it can be applied in present-day farm life. It considers all the various household, shop and field uses of this up-to-date motor and includes chapters on engine installation, power transmission and the best arrangement of the power plant in reference to the work. 5¼ x 7½ Cloth. 527 pages, 179 illustrations. **Price, $2.00**

GASOLINE ENGINES: THEIR OPERATION, USE AND CARE. By A. HYATT VERRILL. A comprehensive, simple and practical work, treating of gasoline engines for stationary, marine or vehicle use; their construction, design, management, care, operation, repair, installation and troubles. A complete glossary of technical terms and an alphabetically arranged table of troubles and symptoms form a most valuable and unique feature of the book. 5¼ x 7½. Cloth. 275 pages, 152 illustrations. **Price, $1.50**

GAS, GASOLINE AND OIL ENGINES. By GARDNER D. HISCOX. Revised by VICTOR W. PAGÉ. Just issued new, revised and enlarged edition. Every user of a gas engine needs this book. Simple, instructive and right up-to-date. The only complete work on the subject. Tells all about internal combustion engineering, treating exhaustively on the design, construction and practical application of all forms of gas, gasoline, kerosene and crude petroleum-oil engines. Describes minutely all auxiliary systems, such as lubrication, carburetion and ignition. Considers the theory and management of all forms of explosive motors for stationary and marine work, automobiles, aeroplanes and motorcycles. Includes also Producer Gas and Its Production. Invaluable instructions for all students, gas-engine owners, gas-engineers, patent experts, designers, mechanics, draftsmen and all having to do with the modern power. Illustrated by over 400 engravings, many specially made from engineering drawings, all in correct proportion. 650 pages, 435 engravings. **Price, net, $2.50**

MODERN GAS ENGINES AND PRODUCER GAS PLANTS. By R. E. Mathot, M.E. A practical treatise of 320 pages, fully illustrated by 175 detailed illustrations, setting forth the principles of gas engines and producer design, the selection and installation of an engine, conditions of perfect operation, producer-gas engines and their possibilities, the care of gas engines and producer-gas plants, with a chapter on volatile hydrocarbon and oil engines. This book has been endorsed by Dugal Clerk as a most useful work for all interested in gas engine installation and producer gas. **Price, $2.50**

HOW TO RUN AND INSTALL GASOLINE ENGINES. By C. Von Culin. New revised and enlarged edition just issued. The object of this little book is to furnish a pocket instructor for the beginner, the busy man who uses an engine for pleasure or profit, but who does not have the time or inclination for a technical book, but simply to thoroughly understand how to properly operate, install and care for his own engine. The index refers to each trouble, remedy and subject alphabetically. Being a quick reference to find the cause, remedy and prevention for troubles, and to become an expert with his own engine. Pocket size. Paper binding. **Price, 25 cents**

MODERN GAS TRACTOR, ITS CONSTRUCTION, UTILITY, OPERATION AND REPAIR. By Victor W. Pagé. Treats exhaustively on the design and construction of farm tractors and tractor power-plants, and gives complete instructions on their care, operation and repair. All types and sizes of gasoline, kerosene and oil tractory are described, and every phase of traction engineering practice fully covered. Invaluable to all desiring reliable information on gas motor propelled traction engines and their use. 5¼ x 7½. Cloth. 475 pages, 204 illustrations, 3 folding plates. **Price, $2.00**

GEARING AND CAMS

BEVEL GEAR TABLES. By D. Ag. Engstrom. No one who has to do with bevel gears in any way should be without this book. The designer and draftsman will find it a great convenience, while to the machinist who turns up the blanks or cuts the teeth, it is invaluable, as all needed dimensions are given and no fancy figuring need be done. Third edition. Cloth. **Price, $1.00**

CHANGE GEAR DEVICES. By Oscar E. Perrigo. A book for every designer, draftsman and mechanic who is interested in feed changes for any kind of machines. This shows what has been done and how. Gives plans, patents and all information that you need. Saves hunting through patent records and reinventing old ideas. A standard work of reference. Cloth. **Price, $1.00**

DRAFTING OF CAMS. By Louis Rouillion. The laying out of cams is a serious problem unless you know how to go at it right. This puts you on the right road for practically any kind of cam you are likely to run up against. Third edition. **Price, 25 cents**

HYDRAULICS

HYDRAULIC ENGINEERING. By GARDNER D. HISCOX. A treatise on the properties, power, and resources of water for all purposes. Including the measurement of streams; the flow of water in pipes or conduits; the horse-power of falling water; turbine and impact water-wheels; wave-motors, centrifugal, reciprocating and air-lift pumps. With 300 figures and diagrams and 36 practical tables. 320 pages. **Price, $4.00**

ICE AND REFRIGERATION

POCKETBOOK OF REFRIGERATION AND ICE MAKING. By A. J. WALLIS-TAYLOR. This is one of the latest and most comprehensive reference books published on the subject of refrigeration and cold storage. It explains the properties and refrigerating effect of the different fluids in use, the management of refrigerating machinery and the construction and insulation of cold rooms with their required pipe surface for different degrees of cold; freezing mixtures and non-freezing brines, temperatures of cold rooms for all kinds of provisions, cold storage charges for all classes of goods, ice making and storage of ice, data and memoranda for constant reference by refrigerating engineers, with nearly one hundred tables containing valuable references to every fact and condition required in the installment and operation of a refrigerating plant. New edition just published.
Price, $1.50

INVENTIONS—PATENTS

INVENTOR'S MANUAL, HOW TO MAKE A PATENT PAY. This is a book designed as a guide to inventors in perfecting their inventions, taking out their patents, and disposing of them. It is not in any sense a Patent Solicitor's circular nor a Patent Broker's advertisement. No advertisements of any description appear in the work. It is a book containing a quarter of a century's experience of a successful inventor, together with notes based upon the experience of many other inventors. Revised edition. 120 pages. Cloth. **Price, $1.00**

KNOTS

KNOTS, SPLICES AND ROPE WORK. By A. HYATT VERRILL. This is a practical book giving complete and simple directions for making all the most useful and ornamental knots in common use, with chapters on Splicing, Pointing, Seizing, Serving, etc. This book is fully illustrated with one hundred and fifty original engravings, which shows how each knot, tie or splice is formed, and its appearance when finished. The book will be found of the greatest value to campers, yachtsmen, travelers or Boy Scouts, in fact, to anyone having occasion to use or handle rope or knots for any purpose. The book is thoroughly reliable and practical, and is not only a guide but a teacher. It is the standard work on the subject. 118 pages, 150 original engravings. **Price, 75 cents**

LATHE WORK

TURNING AND BORING TAPERS. By FRED H. COLVIN. There are two ways to turn tapers; the right way and one other. This treatise has to do with the right way; it tells you how to start the work properly, how to set the lathe, what tools to use and how to use them, and forty and one other little things that you should follow. Fourth edition. **Price, 25 cents**

LATHE DESIGN, CONSTRUCTION, AND OPERATION, WITH PRACTICAL EXAMPLES OF LATHE WORK. By OSCAR E. PERRIGO. A New revised edition, and the only complete American work on the subject, written by a man who knows not only how work ought to be done, but who also knows how to do it, and how to convey this knowledge to others. It is strictly up-to-date in its descriptions and illustrations. Lathe history and the relations of the lathe to manufacturing are given; also a description of the various devices for feeds and thread cutting mechanisms from early efforts in this direction to the present time. Lathe design is thoroughly discussed, including back gearing, driving cones, thread-cutting gears, and all the essential element of the modern lathe. The classification of lathes is taken up, giving the essential differences of the several types of lathes including, as is usually understood, engine lathes, bench lathes, speed lathes, forge lathes, gap lathes, pulley lathes, forming lathes, multiple-spindle lathes, rapid-reduction lathes, precision lathes, turret lathes, special lathes, electrically-driven lathes, etc. In addition to the complete exposition on construction and design, much practical matter on lathe installation, care and operation has been incorporated in the enlarged 1915 edition. All kinds of lathe attachments for drilling, milling, etc., are described and complete instructions are given to enable the novice machinist to grasp the art of lathe operation as well as the principles involved in design. A number of difficult machining operations are described at length and illustrated. The new edition has nearly 500 pages and 350 illustrations. **Price, $2.50**

PRACTICAL METAL TURNING. By JOSEPH G. HORNER. A work of 404 pages, fully illustrated, covering in a comprehensive manner the modern practice of machining metal parts in the lathe, including the regular engine lathe, its essential design, its uses, its tools, its attachments, and the manner of holding the work and performing the operations. The modernized engine lathe, its methods, tools and great range of accurate work. The turret lathe, its tools, accessories and methods of performing its functions. Chapters on special work, grinding, tool holders, speeds, feeds, modern tool steels, etc., etc. Second edition. **Price, $3.50**

LIQUID AIR

LIQUID AIR AND THE LIQUEFACTION OF GASES. By T. O'CONOR SLOANE. Theory, history, biography, practical applications, manufacture. Second edition. 365 pages. Illustrated. **Price, $2.00**

AIR-BRAKE CATECHISM. By ROBERT H. BLACKALL. This book is a standard text book. It is the only practical and complete work published. Treats on the equipment manufactured by the Westinghouse Air Brake Company, including the E-T Locomotive Brake Equipment, the K (Quick-Service) Triple Valve for freight service; the L High Speed Triple Valve; the P-C Passenger Brake Equipment, and the Cross Compound Pump. The operation of all parts of the apparatus is explained in detail and a practical way of locating their peculiarities and remedying their defects is given. Endorsed and used by air-brake instructors and examiners on nearly every railroad in the United States. Twenty-sixth edition. 411 pages, fully illustrated with folding plates and diagrams. New edition. **Price, $2.00**

AMERICAN COMPOUND LOCOMOTIVES. By FRED H. COLVIN. The most complete book on compounds published. Shows all types, including the balanced compound. Makes everything clear by many illustrations, and shows valve setting, breakdowns and repairs. 142 pages. Cloth. **Price, $1.00**

APPLICATION OF HIGHLY SUPERHEATED STEAM TO LOCOMOTIVES. By ROBERT GARBE. A practical book which cannot be recommended too highly to those motive-power men who are anxious to maintain the highest efficiency in their locomotives. Contains special chapters on Generation of Highly Superheated Steam; Superheated Steam and the Two-Cylinder Simple Engine; Compounding and Superheating; Designs of Locomotive Superheaters; Constructive Details of Locomotives Using Highly Superheated Steam. Experimental and Working Results. Illustrated with folding plates and tables. Cloth. **Price, $2.50**

COMBUSTION OF COAL AND THE PREVENTION OF SMOKE. By WM. M. BARR. To be a success a fireman must be "Light on Coal." He must keep his fire in good condition, and prevent, as far as possible, the smoke nuisance. To do this, he should know how coal burns, how smoke is formed and the proper burning of fuel to obtain the best results. He can learn this, and more too, from Barr's "Combination of Coal." It is an absolute authority on all questions relating to the firing of a locomotive. Fifth edition. Nearly 350 pages, fully illustrated. **Price, $1.00**

DIARY OF A ROUND-HOUSE FOREMAN. By T. S. REILLY. This is the greatest book of railroad experiences ever published. Containing a fund of information and suggestions along the line of handling men, organizing, etc., that one cannot afford to miss. 176 pages. **Price, $1.00**

LINK MOTIONS, VALVES AND VALVE SETTING. By FRED H. COLVIN, Associate Editor of "American Machinist." A handy book that clears up the mysteries of valve setting. Shows the different valve gears in use, how they work, and why. Piston and slide valves of different types are illustrated and explained. A book that every railroad man in the motive-power department ought to have. Fully illustrated. New revised and enlarged edition just published. **Price, 50 cents**

TRAIN RULE EXAMINATIONS MADE EASY. By G. E. Collingwood. This is the only practical work on train rules in print. Every detail is covered, and puzzling points are explained in simple, comprehensive language, making it a practical treatise for the train dispatcher, engineman, trainman and all others who have to do with the movements of trains. Contains complete and reliable information of the Standard Code of Train Rules for single track. Shows signals in colors, as used on the different roads. Explains fully the practical application of train orders, giving a clear and definite understanding of all orders which may be used. 256 pages. Fully illustrated with train signals in colors.
Price, $1.25

LOCOMOTIVE BOILER CONSTRUCTION. By Frank A. Kleinhans. The only book showing how locomotive boilers are built in modern shops. Shows all types of boilers used; gives details of construction; practical facts, such as life of riveting punches and dies, work done per day, allowance for bending and flanging sheets and other data that means dollars to any railroad man. Second edition. 451 pages, 334 illustrations. Six folding plates. Cloth.
Price, $3.00

LOCOMOTIVE BREAKDOWNS AND THEIR REMEDIES. By Geo. L. Fowler. Revised by Wm. W. Wood, Air-Brake Instructor. Just issued. Revised pocket edition. It is out of the queston to try and tell you about every subject that is covered in this pocket edition of Locomotive Breakdowns. Just imagine all the common troubles that an engineer may expect to happen some time, and then add all of the unexpected ones, troubles that could occur, but that you had never thought about, and you will find that they are all treated with the very best methods of repair. Walschaert Locomotive Valve Gear Troubles, Electric Headlight Troubles, as well as Questions and Answers on the Air Brake are all included. Eighth edition. 294 pages. Fully illustrated.
Price, $1.00

LOCOMOTIVE CATECHISM. By Robert Grimshaw. Twenty-eighth revised and enlarged edition. This may well be called an encyclopedia of the locomotive. Contains over 4,000 examination questions with their answers, including among them those asked at the first, second and third years' examinations. 825 pages, 437 illustrations and 3 folding plates.
Price, $2.50

WESTINGHOUSE ET AIR-BRAKE INSTRUCTION POCKET BOOK CATECHISM. By Wm. W. Wood, Air-Brake Instructor. A practical work containing examination questions and answers on the E. T. Equipment. Covering what the E. T. Brake is. How it should be operated. What to do when defective. Not a question can be asked of the engineman up for promotion on either the No. 5 or the No. 6 E T equipment that is not asked and answered in the book. If you want to thoroughly understand the E T equipment get a copy of this book. It covers every detail. Makes air-brake troubles and examinations easy. Fully illustrated with colored plates, showing various pressures. Cloth.
Price, $1.50

PRACTICAL INSTRUCTOR AND REFERENCE BOOK FOR LOCOMOTIVE FIREMEN AND ENGINEERS. By CHAS. F. LOCKHART. An entirely new book on the locomotive. It appeals to every railroad man, as it tells him how things are done and the right way to do them. Written by a man who has had years of practical experience in locomotive shops and on the road firing and running. The information given in this book cannot be found in any other similar treatise. Eight hundred and fifty-one questions with their answers are included, which will prove specially helpful to those preparing for examination. 368 pages, 88 illustrations. Cloth. **Price, $1.50**

PREVENTION OF RAILROAD ACCIDENTS, OR SAFETY IN RAILROADING. By GEORGE BRADSHAW. This book is a heart-to-heart talk with railroad employees, dealing with facts, not theories, and showing the men in the ranks, from every-day experience, how accidents occur and how they may be avoided. The book is illustrated with seventy original photographs and drawings showing the safe and unsafe methods of work. No visionary schemes, no ideal pictures. Just plain facts and practical suggestions are given. Every railroad employee who reads the book is a better and safer man to have in railroad service. It gives just the information which will be the means of preventing many injuries and deaths. All railroad employees should procure a copy; read it, and do their part in preventing accidents. 169 pages. Pocket size. Fully illustrated.
Price, 50 cents

WALSCHAERT LOCOMOTIVE VALVE GEAR. By WM. W. WOOD. If you would thoroughly understand the Walschaert Valve Gear, you should possess a copy of this book. The author divides the subject into four divisions, as follows: I. Analysis of the gear. II. Designing and erecting of the gear. III. Advantages of the gear. IV. Questions and answers relating to the Walschaert Valve Gear. This book is specially valuable to those preparing for promotion. Third edition. 245 pages. Fully illustrated. Cloth.
Price, $1.50

MACHINE SHOP PRACTICE

MACHINE SHOP ARITHMETIC. By COLVIN-CHENEY. Most popular book for shop men. Shows how all shop problems are worked out and "why." Includes change gears for cutting any threads; drills, taps, shink and force fits; metric system of measurements and threads. Used by all classes of mechanics and for instruction in Y. M. C. A. and other schools. Sixth edition. 131 pages.
Price, 50 cents

TOOLS FOR MACHINISTS AND WOOD WORKERS, INCLUDING INSTRUMENTS OF MEASUREMENT. By JOSEPH G. HORNER. The principles upon which cutting tools for wood, metal, and other substances are made are identical, whether used by the machinist, the carpenter, or by any other skilled mechanic in their daily work, and the object of this book is to give a correct and practical description of these tools as they are commonly designed, constructed, and used. 340 pages, fully illustrated. **Price, $3.50**

AMERICAN TOOL MAKING AND INTERCHANGEABLE MANUFACTURING. By J. V. Woodworth. In its 500-odd pages the one subject only, Tool Making, and whatever relates thereto, is dealt with. The work stands without a rival. It is a complete practical treatise on the art of American Tool Making and system of interchangeable manufacturing as carried on to-day in the United States. In it are described and illustrated all of the different types and classes of small tools, fixtures, devices and special appliances which are in general use in all machine-manufacturing and metal-working establishments where economy, capacity and interchangeability in the production of machined metal parts are imperative. The science of jig making is exhaustively discussed, and particular attention is paid to drill jigs, boring, profiling and milling fixtures and other devices in which the parts to be machined are located and fastened within the contrivances. All of the tools, fixtures and devices illustrated and described have been or are used for the actual production of work, such as parts of drill presses, lathes, patented machinery, typewriters, electrical apparatus, mechanical appliances, brass goods, composition parts, mould products, sheet metal articles, drop forgings, jewelry, watches, medals, coins, etc. Second edition. 531 pages. **Price, $4.00**

HENLEY'S ENCYCLOPEDIA OF PRACTICAL ENGINEERING AND ALLIED TRADES. Edited by Joseph G. Horner, A.M.I.Mech.E. This book covers the entire practice of Civil and Mechanical Engineering. The best known experts in all branches of engineering have contributed to these volumes. The Cyclopedia is admirably well adapted to the needs of the beginner and the self-taught practical man, as well as the mechanical engineer, designer, draftsman, shop superintendent, foreman and machinist.

It is a modern treatise in five volumes. Handsomely bound in half morocco, each volume containing nearly 500 pages, with thousands of illustrations, including diagrammatic and sectional drawings with full explanatory details. **Price,** for the complete set of five volumes, **$25.00**

MODERN MACHINE SHOP CONSTRUCTION, EQUIPMENT AND MANAGEMENT. By Oscar E. Perrigo. The only work published that describes the Modern Machine Shop or Manufacturing Plant from the time the grass is growing on the site intended for it until the finished product is shipped. Just the book needed by those contemplating the erection of modern shop buildings, the rebuilding and reorganization of old ones, or the introduction of Modern Shop Methods, Time and Cost Systems. It is a book written and illustrated by a practical shop man for practical shop men who are too busy to read theories and want facts. It is the most complete all-around book of its kind ever published. 400 large quarto pages, 225 original and specially-made illustrations. **Price, $5.00**

"SHOP KINKS." By Robert Grimshaw. This shows special methods of doing work of various kinds, and releasing cost of production. Has hints and kinks from some of the largest shops in this country and Europe. You are almost sure to find some that apply to your work, and in such a way as to save time and trouble. 400 pages. Fifth edition. Cloth. **Price, $2.50**

THE WHOLE FIELD OF MECHANICAL MOVEMENTS COVERED BY MR. HISCOX'S TWO BOOKS

We publish two books by Gardner D. Hiscox that will keep you from "inventing" things that have been done before, and suggest ways of doing things that you have not thought of before. Many a man spends time and money, pondering over some mechanical problem, only to learn, after he has solved the problem, that the same thing has been accomplished and put in practice by others long before. Time and money spent in an effort to accomplish what has already been accomplished are time and money lost. The whole field of mechanics, every known mechanical movement, and practically every device is covered by these two books. If the thing you want has been invented, it is illustrated in them. If it hasn't been invented, then you'll find in them the nearest things to what you want, some movement or device that will apply in your case, perhaps; or which will give you a key from which to work. No book or set of books ever published is of more real value to the inventor, draftsman or practical mechanic than the two volumes described below.

MECHANICAL MOVEMENTS, POWERS AND DEVICES. By GARDNER D. HISCOX. This is a collection of 1,890 engravings of different mechanical motions and appliances, accompanied by appropriate text, making it a book of great value to the inventor, the draftsman, and to all readers with mechanical tastes. The book is divided into eighteen sections or chapters, in which the subject-matter is classified under the following heads: Mechanical Powers; Transmission of Power; Measurement of Power; Steam Power; Air Power Appliances; Electric Power and Construction; Navigation and Roads; Gearing; Motion and Devices; Controlling Motion; Horological; Mining; Mill and Factory Appliances; Construction and Devices; Drafting Devices; Miscellaneous Devices, etc. Fourteenth edition. 400 octavo pages. **Price, $3.00**

MECHANICAL APPLIANCES, MECHANICAL MOVEMENTS AND NOVELTIES OF CONSTRUCTION. By GARDNER D. HISCOX. This is a supplementary volume to the one upon mechanical movements. Unlike the first volume, which is more elementary in character, this volume contains illustrations and descriptions of many combinations of motions and of mechanical devices and appliances found in different lines of machinery, each device being shown by a line drawing with a description showing its working parts and the method of operation. From the multitude of devices described and illustrated might be mentioned, in passing, such items as conveyors and elevators, Prony brakes, thermometers, various types of boilers, solar engines, oil-fuel burners, condensers, evaporators, Corliss and other valve gears, governors, gas engines, water motors of various descriptions, air ships, motors and dynamos, automobile and motor bicycles, railway lock signals, car couplers, link and gear motions, ball bearings, breech block mechanism for heavy guns, and a large accumulation of others of equal importance. 1,000 specially made engravings. 396 octavo pages. Third revised edition. **Price, $3.00**

MACHINE SHOP TOOLS AND SHOP PRACTICE. By W. H. VANDERVOORT. A work of 555 pages and 673 illustrations, describing in every detail the construction, operation, and manipulation of both hand and machine tools. Includes chapters on filing, fitting, and scraping surfaces; on drills, reamers, taps, and dies; the lathe and its tools; planers, shapers, and their tools; milling machines and cutters; gear cutters and gear cutting; drilling machines and drill work; grinding machines and their work; hardening and tempering; gearing, belting, and transmission machinery; useful data and tables. Sixth edition. Cloth. **Price, $3.00**

MODERN MILLING MACHINES: THEIR DESIGN, CONSTRUCTION AND OPERATION. By JOSEPH G. HORNER. This book describes and illustrates the Milling Machine and its work in such a plain, clear, and forceful manner, and illustrates the subject so clearly and completely, that the up-to-date machinist, student, or mechanical engineer cannot afford to do without the valuable information which it contains. It describes not only the early machines of this class, but notes their gradual development into the splendid machines of the present day, giving the design and construction of the various types, forms, and special features produced by prominent manufacturers, American and foreign. 304 pages, 300 illustrations. Cloth **Price, $4.00**

THE MODERN MACHINIST. By JOHN T. USHER. This book might be called a compendium of shop methods, showing a variety of special tools and appliances which will give new ideas to many mechanics from the superintendent down to the man at the bench. It will be found a valuable addition to any machinist's library and should be consulted whenever a new or difficult job is to be done, whether it is boring, milling, turning, or planing, as they are all treated in a practical manner. Fifth edition. 320 pages, 250 illustrations. Cloth. **Price, $2.50**

THREADS AND THREAD CUTTING. By COLVIN and STABEL. This clears up many of the mysteries of thread-cutting, such as double and triple threads, internal threads, catching threads. use of hobs, etc. Contains a lot of useful hints and several tables. Third edition. **Price, 25 cents**

MARINE ENGINEERING

THE NAVAL ARCHITECT'S AND SHIPBUILDER'S POCKET-BOOK of Formulæ, Rules, and Tables and Marine Engineer's and Surveyor's Handy Book of Reference. By CLEMENT MACKROW and LLOYD WOOLLARD. The eleventh revised and enlarged edition of this most comprehensive work has just been issued. It is absolutely indispensable to all engaged in the Shipbuilding Industry, as it condenses into a compact form all data and formulæ that are ordinarily required. The book is completely up to date, including among other subjects a section on Aeronautics. 750 pages, limp leather binding. **Price, $5.00 net**

MARINE ENGINES AND BOILERS, THEIR DESIGN AND CONSTRUCTION. By Dr. G. Bauer, Leslie S. Robertson and S. Bryan Donkin. In the words of Dr. Bauer, the present work owes its origin to an oft felt want of a condensed treatise embodying the theoretical and practical rules used in designing marine engines and boilers. The need of such a work has been felt by most engineers engaged in the construction and working of marine engines, not only by the younger men, but also by those of greater experience. The fact that the original German work was written by the chief engineer of the famous Vulcan Works, Stettin, is in itself a guarantee that this book is in all respects thoroughly up-to-date, and that it embodies all the information which is necessary for the design and construction of the highest types of marine engines and boilers. It may be said that the motive power which Dr. Bauer has placed in the fast German liners that have been turned out of late years from the Stettin Works represent the very best practice in marine engineering of the present day. The work is clearly written, thoroughly systematic, theoretically sound; while the character of the plans, drawings, tables, and statistics is without reproach. The illustrations are careful reproductions from actual working drawings, with some well-executed photographic views of completed engines and boilers. 744 pages, 550 illustrations and numerous tables. Cloth.
Price, $9.00 net

MANUAL TRAINING

ECONOMICS OF MANUAL TRAINING. By Louis Rouillion. The only book that gives just the information needed by all interested in manual training, regarding buildings, equipment and supplies. Shows exactly what is needed for all grades of the work from the Kindergarten to the High and Normal School. Gives itemized lists of everything needed and tells just what it ought to cost. Also shows where to buy supplies. Illustrated. Second edition. Cloth.
Price, $1.50

MINING

ORE DEPOSITS, WITH A CHAPTER ON HINTS TO PROSPECTORS. By J. P. Johnson. This book gives a condensed account of the ore deposits at present known in South Africa. It is also intended as a guide to the prospector. Only an elementary knowledge of geology and some mining experience are necessary in order to understand this work. With these qualifications, it will materially assist one in his search for metalliferous mineral occurrences and, so far as simple ores are concerned, should enable one to form some idea of the possibilities of any they may find. Illustrated. Cloth. **Price. $2.00**

PRACTICAL COAL MINING. By T. H. Cockin. An important work, containing 428 pages and 213 illustrations, complete with practical details, which will intuitively impart to the reader, not only a general knowledge of the principles of coal mining, but also considerable insight into allied subjects. The treatise is positively up to date in every instance, and should be in the hands of every colliery engineer, geologist, mine operator, superintendent, foreman, and all others who are interested in or connected with the industry. Third edition. Cloth. **Price, $2.50**

PHYSICS AND CHEMISTRY OF MINING. By T. H. Byrom. A practical work for the use of all preparing for examinations in mining or qualifying for colliery managers' certificates. The aim of the author in this excellent book is to place clearly before the reader useful and authoritative data which will render him valuable assistance in his studies. The only work of its kind published. The information incorporated in it will prove of the greatest practical utility to students, mining engineers, colliery managers, and all others who are specially interested in the present-day treatment of mining problems. 160 pages, illustrated.
Price, $2.00

PATTERN MAKING

PRACTICAL PATTERN MAKING. By F. W. Barrows. This book, now in its second edition, is a comprehensive and entirely practical treatise on the subject of pattern making, illustrating pattern work in both wood and metal, and with definite instructions on the use of plaster of paris in the trade. It gives specific and detailed descriptions of the materials used by pattern makers and describes the tools; both those for the bench and the more interesting machine tools; having complete chapters on the lathe, the circular saw and the band saw. It gives many examples of pattern work, each one fully illustrated and explained with much detail. These examples, in their great variety, offer much that will be found of interest to all pattern makers, and especially to the younger ones, who are seeking information on the more advanced branches of their trade. Containing nearly 350 pages and 170 illustrations. Second edition, revised and enlarged. **Price, $2.00**

PERFUMERY

HENLEY'S TWENTIETH CENTURY BOOK OF RECEIPTS, FORMULAS AND PROCESSES. Edited by G. D. Hiscox. The most valuable techno-chemical receipt book published. Contains over 10,000 practical receipts, many of which will prove of special value to the perfumer. **$3.00**

PERFUMES AND COSMETICS, THEIR PREPARATION AND MANUFACTURE. By G. W. Askinson, Perfumer. A comprehensive treatise, in which there has been nothing omitted that could be of value to the perfumer or manufacturer of toilet preparations. Complete directions for making handkerchief perfumes, smelling-salts, sachets, fumigating pastilles; preparations for the care of the skin, the mouth, the hair, cosmetics, hair dyes and other toilet articles are given, also a detailed description of aromatic substances; their nature, tests of purity, and wholesale manufacture, including a chapter on synthetic products, with formulas for their use. A book of general, as well as professional interest, meeting the wants not only of the druggist and perfume manufacturer, but also of the general public. Fourth edition much enlarged and brought up-to-date. Nearly 400 pages, illustrated. **Price, $5.00**

Henley's Twentieth Century Book of Recipes, Formulas and Processes

Edited by GARDNER D. HISCOX, M. E.

Price $3.00 Cloth Binding $4.00 Half Morocco Binding

Contains over 10,000 Selected Scientific, Chemical, Technological and Practical Recipes and Processes, including Hundreds of So-Called Trade Secrets for Every Business

THIS book of 800 pages is the most complete Book of Recipes ever published, giving thousands of recipes for the manufacture of valuable articles for every-day use. Hints, Helps, Practical Ideas and Secret Processes are revealed within its pages. It covers every branch of the useful arts and tells thousands of ways of making money and is just the book everyone should have at his command.

The pages are filled with matters of intense interest and immeasurable practical value to the Photographer, the Perfumer, the Painter, the Manufacturer of Glues, Pastes, Cements and Mucilages, the Physician, the Druggist, the Electrician, the Brewer, the Engineer, the Foundryman, the Machinist, the Potter, the Tanner, the Confectioner, the Chiropodist, the Manufacturer of Chemical Novelties and Toilet Preparations, the Dyer, the Electroplater, the Enameler, the Engraver, the Provisioner, the Glass Worker, the Goldbeater, the Watchmaker and Jeweler, the Ink Manufacturer, the Optician, the Farmer, the Dairyman, the Paper Maker, the Metal Worker, the Soap Maker, the Veterinary Surgeon, and the Technologist in general.

A book to which you may turn with confidence that you will find what you are looking for. A mine of information up-to-date in every respect. Contains an immense number of formulas that every one ought to have that are not found in any other work.



MAY 25 1936

MINNEAPOLIS PUBLIC LIBRARY
3 2088 01901 5137